

SETRON, cylindrical fuse link, 10 x 38 mm, 4 A, gPV, Un DC: 1000 V



| Model                                    |                          |
|------------------------------------------|--------------------------|
| product brand name                       | SETRON                   |
| product designation                      | Cylindrical fuse link    |
| General technical data                   |                          |
| operating class of the fuse link         | gPV                      |
| size of the fuse link                    | 10x38 mm                 |
| type of voltage of the operating voltage | DC                       |
| supply voltage at DC                     | 1 000 V                  |
| Main circuit                             |                          |
| operational current rated value          | 4 A                      |
| Product details                          |                          |
| product component striker                | No                       |
| Mechanical Design                        |                          |
| mounting position                        | Any, preferably vertical |
| net weight                               | 8 g                      |
| Approvals Certificates                   |                          |
| General Product Approval                 | other                    |



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Environment

[Environmental Confirmations](#)

| Further information                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                                  |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                         |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW6004-4">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW6004-4</a>                                          |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3NW6004-4">https://support.industry.siemens.com/cs/ww/en/ps/3NW6004-4</a>                                                |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6004-4">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6004-4</a> |
| CAX-Online-Generator                                                                                                                                                                                                                                     |

---

last modified: 2/17/2023 

