




EMI & EMC Solutions > EMI Filters > Multi-Function Inlet Filters > CORCOM M SERIES MULTI-FUNCTION INLET FIL



Filter Type: **Power Entry Module**

Input Voltage Selection: **Single AC**

Filter Switch Type: **No Switch**

Filter Shield Type: **Filter Shield**

Product Orientation: **Right Angle**

[All CORCOM M SERIES MULTI-FUNCTION INLET FIL \(28\)](#)

Features

Product Type Features

Ground Choke Option	No
Filter Type	Power Entry Module
Filter Switch Type	No Switch
Output Termination Type	.110" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 320/C-14

Configuration Features

Fuse Options	Dual, Single
--------------	--------------

Electrical Characteristics

Input Voltage Selection	Single AC
Leakage Current (Max) (120VAC, 60Hz)	300 μ A
Leakage Current (Max) (250VAC, 50Hz)	500 μ A



Current Rating	3 A
Operating Voltage	120 VAC, 240 VAC

Body Features

Filter Shield Type	Filter Shield
Product Orientation	Right Angle

Mechanical Attachment

Panel Mount Feature Type	Flanged
--------------------------	---------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-C8114-M1
CORCOM M SERIES MULTI-FUNCTION INLET FIL

Also in the Series | Corcom M

EMI & EMC Accessories(2)

Multi-Function Inlet Filters(28)

Potentiometers(5)

Customers Also Bought

TE Part #T4013008041-000
M8,SCREW, MALE,R/A,UNSHIELD,4P, GOLD

TE Part #6-1622825-7
RL73K 2B R15 5% 5K RL

TE Part #T4132012081-000
M12,FRONT MOUNT,MALE, A,8P, SOLDER WIRE

TE Part #T4162224004-001
RPC-M12-4MR-0.5SH-M12-4FR-PUR

TE Part #213485-1
CPC SEALING CAP ASSY SIZE 13

TE Part #320665
PG SPD 22-16 COMM 22-18 MIL 6

TE Part #2328702-6
6PIN 0.5MMP FPC CONNECTOR, BACK FLIP LOCK

TE Part #1-2416049-6
PBES22 40 INCA 24V AC/DC 30V 1W NC NC

TE Part #61116-2
CMNL PIN 24-18 BR



Documents

Product Drawings

3EZM1S=F8122

English

CAD Files

Customer View Model

ENG_CVM_CVM_6609132-8_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6609132-8_C1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_6609132-8_C1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1654001_CORCOM_PRODUCT_GUIDE_M_SERIES

English

Corcom Combined Selector Charts

English