

1044971

https://www.phoenixcontact.com/us/products/1044971

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cutting, stripping, and crimping set, packaged in a tools case, comprising WIREFOX 10, CRIMPFOX DUO 10, AI SORTI BOX RD, AI TWIN SORTI BOX BU, TOOL-KIT STANDARD EMPTY

### Product description

Tool set, equipped

### Your advantages

- · We have put together a number of attractive tool sets for you by selecting products from our comprehensive range of professional tools
- Universal tools sets with WIREFOX 10, CRIMPFOX-DUO tools from TOOL fox
- · Ideal for TWIN ferrule
- Rugged and heavy-duty tool bags

### Commercial data

Item number	1044971
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3521
Catalog page	Page 418 (C-3-2019)
GTIN	4055626622859
Weight per piece (including packing)	1,056.1 g
Weight per piece (excluding packing)	1,056.1 g
Customs tariff number	82060000
Country of origin	SE



1044971

https://www.phoenixcontact.com/us/products/1044971

#### Set consists of

### CRIMPFOX DUO 10 - Crimping pliers

1031721

https://www.phoenixcontact.com/us/products/1031721



Crimping pliers, contact connection type: Insulated and uninsulated ferrules, standards/specifications: DIN 46228-1, DIN 46228-4, UL 486F, form A, E, F, min. cross section: 0.14  $\text{mm}^2$ , max. cross section: 10  $\text{mm}^2$ , for TWIN ferrules up to 2 x 4  $\text{mm}^2$ , automatic cross section adjustment, rotating die, lateral and frontal insertion, compression: Trapezoidal crimp, weight 305, black/green

### WIREFOX 10 - Stripping tool

1212150

https://www.phoenixcontact.com/us/products/1212150



Stripping tool, for cables and conductors from 0.02 -  $10~\text{mm}^2$ , self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm $^2$  stranded/1.5 mm $^2$  solid, replaceable stripping blade



1044971

https://www.phoenixcontact.com/us/products/1044971

### AI SORTI BOX RD - Range box

3202960

https://www.phoenixcontact.com/us/products/3202960



Assortment box, supplied with ferrules according to DIN 46228-4: 1990-09, 50 pcs. of each. Al 0,5-8 WH, Al 2,5-8 BU, 100 pcs. Al 0,75-8 GY, Al 1-8 RD, Al 1,5-8 BK

### AI-TWIN SORTI BOX BU - Range box

3202986

https://www.phoenixcontact.com/us/products/3202986



Assortment box, supplied with TWIN ferrules in accordance with DIN 46228-4, 50 pcs. each AI-TWIN 2x0,5-8 WH, AI-TWIN 2x0,75-8 GY, AI-TWIN 2x1-8 RD, AI-TWIN 2x1,5-8 BK, 25 pcs. AI-TWIN 2x2,5-10 BU



1044971

https://www.phoenixcontact.com/us/products/1044971

### TOOL-KIT STANDARD EMPTY - Toolbag, unequipped

1212423

https://www.phoenixcontact.com/us/products/1212423



Tool box, unequipped



1044971

https://www.phoenixcontact.com/us/products/1044971

### Technical data

### Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
duct properties	
Product type	Tool set
Type of packaging	Bag
Compression	Trapezoidal crimp
ectrical properties  Fuse	DIN 46228-1, DIN 46228-4, UL 486F, form A, E, F
mensions	
Width	65 mm
Height	315 mm
Length	165 mm
terial specifications	
Color	black (RAL 9005)



1044971

https://www.phoenixcontact.com/us/products/1044971

### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1044971



#### EAC

Approval ID: RU x-DE.xx08.B.02974



1044971

https://www.phoenixcontact.com/us/products/1044971

### Classifications

### **ECLASS**

	ECLASS-11.0	21045003		
	ECLASS-12.0	21045003		
	ECLASS-13.0	21045003		
ETIM				
	ETIM 9.0	EC000149		
UNSPSC				
	UNSPSC 21.0	27113200		



1044971

https://www.phoenixcontact.com/us/products/1044971

### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com