

Power Triple Lock

TE Internal #: 2-1971777-2

TPA (Terminal Position Assurance), Natural, Glass-Filled PBT, 2

Position, Power Triple Lock

View on TE.com >



Connectors > Connector Accessories > Connector Hardware











Hardware Accessory Function: Position Assurance

Connector Hardware Accessory Type: TPA (Terminal Position Assurance)

Primary Product Color: Natural

Primary Product Material: Glass-Filled PBT

Number of Positions: 2

Features

Product Type Features

Hardware Accessory Function	Position Assurance
Connector Hardware Accessory Type	TPA (Terminal Position Assurance)
Configuration Features	
Number of Positions	2
Body Features	
Primary Product Color	Natural
Primary Product Material	Glass-Filled PBT
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-55 – 140 °C[-67 – 284 °F]
Industry Standards	
Glow Wire Rating	Hot Wire Part - Not Glow Wire
UL Flammability Rating	UL 94V-0



Packaging Quantity	3500
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Power Triple Lock





Connector Contacts(26)



Connector Hardware(12)



Insertion & Extraction Tools(1)



Rectangular Power Connectors(301)

Customers Also Bought





TE Part #1-1971772-3
PTL 1X3 CAP PANEL MT STD TEMP
KEY A NAT



TE Part #1971785-2
Receptacle Contact — POWER TRIPLE
LOCK



EP 2.5 TPA Retainer, 6 Pos



TE Part #794714-1 06P UMNL CAP HSG NATL,PAN MNT



TE Part #1-2232265-1 PTL 1X2 PLUG HSG HOT WIRE KEY A BLK





Documents

Product Drawings

PTL TPA HWI 1 X 2 NATURAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1971777-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1971777-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1971777-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

TPA (Terminal Position Assurance), Natural, Glass-Filled PBT, 2 Position, Power Triple Lock



Product Specifications
Application Specification

English