

Neohm | Neohm EP

TE Internal #: 2176083-8

Power Resistor, Ceramic Composition / Wire Wound, 5 W, 150 ohm, 5 %, ± 300 ppm/°C, Axial-Leaded, Copper Termination, 17.5 x


6.5 mm, Neohm EP


View on TE.com >



Passive Components > Resistors > Through-Hole Resistors











Resistor Type: Power Resistor

Element Type: Ceramic Composition, Wire Wound

Power Rating: 5 W

Resistance Class: Up to $1k\Omega$ Resistance Value: 150Ω

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Ceramic Composition, Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	500 V
Power Rating	5 W
Resistance Class	Up to $1k\Omega$
Resistance Value	150 Ω
Passive Component Tolerance	5 %
Body Features	

Axial-Leaded

Lead Type



Termination Area Base Material	Copper
Number of Terminations	2
Dimensions	
Passive Component Dimensions	17.5 x 6.5 mm
Usage Conditions	
Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±300 ppm/°C
Packaging Features	
Packaging Method	Ammo Packed

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts
















Also in the Series | Neohm EP



Customers Also Bought



DYNAMIC D-2100 REC HSG 16P X-KEY



TE Part #1-1879453-7 Wirewound Resistor: Mineral, 2.5 Kw



CRGCQ 0402 820K 1%









LOW



Documents

Product Drawings

EP 5W (S) 150R 5%

English

CAD Files

Customer View Model

ENG_CVM_CVM_2176083-8_BA1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2176083-8_BA1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2176083-8_BA1.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Wirewound Anti Surge Resistors - Type EP Series

English