







CAP INFORMATION- CAP OPTION A




FOR ILLUSTRATION OF ODD CKT
(5CKT AS SHOWN)




FOR ILLUSTRATION OF EVEN CKT
(4CKT AS SHOWN)




CAP INFORMATION- CAP OPTION B



FOR ILLUSTRATION OF ODD CKT
(5CKT AS SHOWN)



FOR ILLUSTRATION OF EVEN CKT
(4CKT AS SHOWN)



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
$\frac{E}{A} = 0$	mm	NTS
$\frac{E}{F} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)	
$\frac{E}{P} = 0$		
DIVISIONAL SYMBOLS		
CURRENT REV DESC:		
EC NO: 741471		
DRWN: SUAIFR		2023/03/07
CHK'D: SUAIFR		2023/03/08
APPR: MRAMAKRISHNA		2023/03/09
INITIAL REVISION:		
DRWN: KCHO		2004/03/24
APPR: SLOW		2004/04/08
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
THIRD ANGLE PROJECTION		
DRAWING		
SERIES		
MATERIAL NUMBER		
CUSTOMER		
SHEET NUMBER		
A3-SIZE		
87891		
SEE TABLE		
GENERAL MARKET		
2 OF 5		

molex

CUSTOM HEADER
2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H
HEADER

PRODUCT CUSTOMER DRAWING





DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-87891-001	PSD	000	D19

10			9		8		7		6		5		4		3		2		1	
F	CKT SIZE	DIMENSION		ASSY W/CAP IN T&R	ASSY W/O CAP IN T&R	ASSY W/O CAP IN TUBE	ASSY W/CAP IN TUBE	PART NO. W/O CAP IN TRAY PACKAGING	PART NO. IN BULK PACKAGING	CKT SIZE	VOID PIN	KINK PIN	(G)	DIMENSION			PLATING TYPE	CAP OPTION	REMARKS	
		A	B											OAL	MATING END	SOLDIER TAIL				
		01	2.54																	---
		02	5.08																	2.54
03	7.62	5.08																		
04	10.16	7.62																		
05	12.70	10.16																		
06	15.24	12.70																		
07	17.78	15.24																		
08	20.32	17.78																		
09	22.86	20.32																		
10	25.40	22.86																		
11	27.94	25.40																		
12	30.48	27.94																		
13	33.02	30.48																		
14	35.56	33.02																		
15	38.10	35.56																		
16	40.64	38.10																		
17	43.18	40.64																		
18	45.72	43.18																		
19	48.26	45.72																		
20	50.80	48.26																		
21	53.34	50.80																		
22	55.88	53.34																		
23	58.42	55.88																		
24	60.96	58.42																		
25	63.50	60.96																		
26	66.04	63.50																		
27	68.58	66.04																		
28	71.12	68.58																		
29	73.66	71.12																		
30	76.20	73.66																		
31	78.74	76.20																		
32	81.28	78.74																		
33	83.82	81.28																		
34	86.36	83.82																		
35	88.90	86.36																		
36	91.44	88.90																		
37	93.98	91.44																		
38	96.52	93.98																		
39	99.06	96.52																		
40	101.60	99.06																		
DOCUMENT STATUS			P1	RELEASE DATE	2023/03/09	04:23:59														
9			8		7		6		5		4		3		2		1			

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER					
	mm		NTS												
	GENERAL TOLERANCES (UNLESS SPECIFIED)														
			MM		INCH		EC NO: 741471 DRWN: SUAIFR CHK'D: SUAIFR APPR: MRAMAKRISHNA INITIAL REVISION: DRWN: KCHO APPR: SCLOW THIRD ANGLE PROJECTION DRAWING SERIES MATERIAL NUMBER CUSTOMER SHEET NUMBER								
	4 PLACES		±		±										
	3 PLACES		±		±										
	2 PLACES		±	0.2	±										
	1 PLACE		±		±										
	DIVISIONAL SYMBOLS	0 PLACES		±		±	2023/03/07 2023/03/08 2023/03/09 2004/03/24 2004/04/08					DOCUMENT NUMBER		DOC TYPE	DOC PART
ANGULAR TOL		±	3.0 °						SD-87891-001		PSD	000	D19		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										SEE TABLE		GENERAL MARKET		3 OF 5	

9			8		7		6		5		4		3		2		1	
---	--	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

10		9		8		7		6		5		4		3		2		1	
F	ASSY W/CAP IN T&R	ASSY W/O CAP IN T&R	ASSY W/O CAP IN TUBE	ASSY W/CAP IN TUBE	PART NO. W/O CAP IN TRAY PACKAGING	PART NO. IN BULK PACKAGING	CKT SIZE	VOID PIN	KINK PIN	(G)				PLATING TYPE	CAP OPTION	REMARKS			
											OAL	MATING END							
											(F)	M							
	-	-	-	-	87891-0500	-	05	-	-	-	11.94	6.10	3.30	5	-	-			
	-	-	-	-	87891-0505	-	05	-	-	-	11.94	6.10	3.30	5	-	-			
	-	-	-	-	87891-0501	-	05	-	-	-	13.62	8.08	3.05	5	-	-			
	-	-	-	-	87891-0502	-	05	2	-	-	10.80	5.89	2.41	5	-	-			
	-	-	-	-	87891-0503	-	05	2	-	-	45.00	13.51	29.00	5	-	-			
	-	-	-	-	87891-0504	-	05	2	-	-	45.00	13.51	29.00	3	-	-			
	-	-	-	-	87891-0507	-	05	4	-	-	10.92	5.84	2.59	3	-	-			
	-	-	-	-	-	87891-0508	05	2,4	-	-	11.38	5.84	3.05	5	-	-			
E	-	-	-	-	87891-0522	-	05	2&4	-	-	19.49	13.00	4.00	5	-	-			
	-	-	-	-	87891-0516	-	05	-	-	-	32.49	16.00	14.00	4	-	-			
	-	-	-	-	87891-0517	-	05	-	-	-	23.62	17.32	3.81	5	-	-			
	-	-	-	-	87891-0523	-	05	-	-	-	7.29	2.40	2.40	5	-	-			
	-	87891-0521	-	-	-	-	05	-	-	10.10	9.89	2.80	4.60	5	A	-			
	-	-	-	-	87891-0601	-	06	-	-	-	11.30	5.84	2.97	1	-	-			
	-	-	-	-	87891-0602	-	06	-	-	-	12.80	8.00	2.31	5	-	-			
	-	-	-	-	87891-0606	-	06	-	-	-	11.30	5.84	2.97	5	-	-			
	-	-	-	-	87891-0610	-	06	-	-	-	11.30	5.84	2.97	5	-	-			
	-	-	-	-	87891-0607	-	06	-	-	-	13.75	8.08	3.18	5	-	-			
D	-	-	-	-	87891-0608	-	06	-	-	-	18.03	13.54	2.00	5	-	-			
	-	-	-	-	87891-0609	-	06	-	-	-	28.30	22.16	3.65	5	-	-			
	-	-	-	-	87891-0611	-	06	-	-	-	28.30	22.16	3.65	5	-	-			
	87891-0613	-	-	-	-	-	06	-	-	22.99	21.99	16.00	3.50	5	A	-			
	-	-	-	-	87891-0615	-	06	-	-		14.49	10.00	2.00	1	-	-			
	-	-	-	-	87891-0624		06	-	-	-	26.10	19.81	3.80	5	-	-			
	-	-	-	-	87891-0700	-	07	-	-	-	11.94	6.10	3.30	5	-	-			
	-	-	-	-	87891-0702	-	07	-	-	-	11.94	6.10	3.30	5	-	-			
	-	-	-	-	87891-0751	-	07	-	-	-	13.74	8.00	3.25	5	-	-			
C	87891-0007	-	-	-	-	-	07	-	-	-	13.72	9.65	1.78	6	-	-			
	-	-	-	-	87891-0851	-	08	-	-	-	13.74	8.00	3.25	5	-	-			
	87891-0807	-	-	-	-	-	08	-	-	13.59	12.59	7.90	2.20	5	A	-			
	-	-	-	-	87891-0808	-	08	-	-	-	20.53	13.72	4.32	3	-	-			
	-	-	-	-	87891-0809	-	08	-	-	-	11.30	5.84	2.97	5	-	-			



ISOMERTIC VIEW
FOR 6CKT HEADER

- HSG: NYLON, GLASS-FILLED, UL94V-0 COLOR: BLACK
PIN: 0.64MM SQ, COPPER ALLOY
2. PLATING TYPE:
- (1) GOLD FLASH OVER
1.270μm MIN. NICKEL OVERALL.
 - (2) GOLD FLASH ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (3) 0.254μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (4) 0.381μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (5) 0.762μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (6) 2.540μm/100μin MIN TIN OVERALL
1.270μm/50μin NICKEL OVERALL
3. PRODUCT SPECIFICATION: PS-87920-019
4. PACKAGING TYPE: SEE TABLE
5. WAFER TO BE FLAT WITHIN 0.003 mm/mm
6. RECOMMENDED PCB THICKNESS IS 1.60mm±0.10
- △ IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
8. THE ABOVE CKT 6 IS FOR ILLUSTRATION PURPOSE ONLY
9. PACKAGING SPECIFICATION:
- TRAY: PK-89990-489
BULK: PK-89990-491

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS mm		SCALE NTS		CURRENT REV DESC: EC NO: 679909 DRWN: AKUMAR192021/10/08 CHK'D: MRAMAKRISHNA2021/10/11 APPR: MRAMAKRISHNA2021/10/11 INITIAL REVISION: DRWN: YLQIAO2004/12/06 APPR: SCLOW2004/12/07				molex CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER							
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0°								PRODUCT CUSTOMER DRAWING							
4 PLACES ±															
3 PLACES ±															
2 PLACES ± 0.2															
1 PLACE ±															
0 PLACES ±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								A3-SIZE		87891		SEE TABLE		GENERAL MARKET	

F	PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION										
	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P						
	87891-0101	---	---	1	---	1	2.54	---	11.30	5.84	2.97						
	87891-0102	---	---	1	---	2	2.54	---	11.30	5.84	2.97						
	87891-0103	---	---	1	---	3	2.54	---	11.30	5.84	2.97						
	87891-0104	---	---	1	---	4	2.54	---	11.30	5.84	2.97						
	87891-0105	---	---	1	---	5	2.54	---	11.30	5.84	2.97						
	87891-0106	---	---	1	---	6	2.54	---	11.30	5.84	2.97						
	87891-0109	---	---	1	---	6	2.54	---	11.30	5.84	2.97						
	E	87891-0201	---	---	2	---	1	5.08	2.54	11.30	5.84	2.97					
87891-0202		---	---	2	---	2	5.08	2.54	11.30	5.84	2.97						
87891-0203		---	---	2	---	3	5.08	2.54	11.30	5.84	2.97						
87891-0204		---	---	2	---	4	5.08	2.54	11.30	5.84	2.97						
87891-0205		---	---	2	---	5	5.08	2.54	11.30	5.84	2.97						
87891-0206		---	---	2	---	6	5.08	2.54	11.30	5.84	2.97						
87891-0211		---	---	2	---	6	5.08	2.54	11.30	5.84	2.97						
87891-0301		---	---	3	---	1	7.62	5.08	11.30	5.84	2.97						
87891-0302		---	---	3	---	2	7.62	5.08	11.30	5.84	2.97						
D	87891-0303	---	---	3	---	3	7.62	5.08	11.30	5.84	2.97						
	87891-0304	---	---	3	---	4	7.62	5.08	11.30	5.84	2.97						
	87891-0305	---	---	3	---	5	7.62	5.08	11.30	5.84	2.97						
	87891-0306	---	---	3	---	6	7.62	5.08	11.30	5.84	2.97						
	87891-0308	---	---	3	---	6	7.62	5.08	11.30	5.84	2.97						
C																	
	B																
A																	
	DOCUMENT STATUS				P1	RELEASE DATE		2021/10/11	11:53:25								

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± 3.0 °		EC NO: 679909 DRWN: AKUMAR19 2021/10/08 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2004/12/06 APPR: SCLOW 2004/12/07				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
4 PLACES		±						SD-87891-013		PSD	001	B5	
3 PLACES		±											
2 PLACES		± 0.2											
1 PLACE		±											
0 PLACES		±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE	87891	SEE TABLE		GENERAL MARKET		2 OF 8	

9			8			7			6			5			4			3			2			1		
---	--	--	---	--	--	---	--	--	---	--	--	---	--	--	---	--	--	---	--	--	---	--	--	---	--	--

F	10	9			8			7			6			5			4			3			2			1		
		PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION									
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P					
		87891-0711	---	---	7	---	1	17.78	15.24	11.30	5.84	2.97	87891-1001	---	---	10	---	1	25.40	22.86	11.30	5.84	2.97					
		87891-0702	---	---	7	---	2	17.78	15.24	11.30	5.84	2.97	87891-1002	---	---	10	---	2	25.40	22.86	11.30	5.84	2.97					
		87891-0703	---	---	7	---	3	17.78	15.24	11.30	5.84	2.97	87891-1003	---	---	10	---	3	25.40	22.86	11.30	5.84	2.97					
		87891-0704	---	---	7	---	4	17.78	15.24	11.30	5.84	2.97	87891-1004	---	---	10	---	4	25.40	22.86	11.30	5.84	2.97					
		87891-0705	---	---	7	---	5	17.78	15.24	11.30	5.84	2.97	87891-1005	---	---	10	---	5	25.40	22.86	11.30	5.84	2.97					
		87891-0706	---	---	7	---	6	17.78	15.24	11.30	5.84	2.97	87891-1006	---	---	10	---	6	25.40	22.86	11.30	5.84	2.97					
		E																										
87891-0801	---		---	8	---	1	20.32	17.78	11.30	5.84	2.97	87891-1101	---	---	11	---	1	27.94	25.40	11.30	5.84	2.97						
87891-0802	---		---	8	---	2	20.32	17.78	11.30	5.84	2.97	87891-1102	---	---	11	---	2	27.94	25.40	11.30	5.84	2.97						
87891-0803	---		---	8	---	3	20.32	17.78	11.30	5.84	2.97	87891-1103	---	---	11	---	3	27.94	25.40	11.30	5.84	2.97						
87891-0804	---		---	8	---	4	20.32	17.78	11.30	5.84	2.97	87891-1104	---	---	11	---	4	27.94	25.40	11.30	5.84	2.97						
87891-0805	---		---	8	---	5	20.32	17.78	11.30	5.84	2.97	87891-1105	---	---	11	---	5	27.94	25.40	11.30	5.84	2.97						
87891-0806	---		---	8	---	6	20.32	17.78	11.30	5.84	2.97	87891-1106	---	---	11	---	6	27.94	25.40	11.30	5.84	2.97						
D	87891-0901	---	---	9	---	1	22.86	20.32	11.30	5.84	2.97	87891-1201	---	---	12	---	1	30.48	27.94	11.30	5.84	2.97						
	87891-0092	---	---	9	---	2	22.86	20.32	11.30	5.84	2.97	87891-1202	---	---	12	---	2	30.48	27.94	11.30	5.84	2.97						
	87891-0903	---	---	9	---	3	22.86	20.32	11.30	5.84	2.97	87891-1203	---	---	12	---	3	30.48	27.94	11.30	5.84	2.97						
	87891-0904	---	---	9	---	4	22.86	20.32	11.30	5.84	2.97	87891-1204	---	---	12	---	4	30.48	27.94	11.30	5.84	2.97						
	87891-0905	---	---	9	---	5	22.86	20.32	11.30	5.84	2.97	87891-1205	---	---	12	---	5	30.48	27.94	11.30	5.84	2.97						
	87891-0906	---	---	9	---	6	22.86	20.32	11.30	5.84	2.97	87891-1206	---	---	12	---	6	30.48	27.94	11.30	5.84	2.97						
C																												
B																												
A																												
DOCUMENT STATUS												P1	RELEASE DATE		2021/10/11 11:53:25													
9			8			7			6			5			4			3			2			1				
FORMAT: master-B-prod-A3 REVISION: J DATE: 2020/01/14																												

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR19 2021/10/08 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11				CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER									
ANGULAR TOL		± 3.0 °															
4 PLACES		±															
3 PLACES		±															
2 PLACES		± 0.2															
1 PLACE		±		INITIAL REVISION: DRWN: YLQIAO 2004/12/06 APPR: SCLOW 2004/12/07				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
0 PLACES		±						SD-87891-013		PSD		001		B5			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		87891		SEE TABLE		GENERAL MARKET		3 OF 8			

[illegible]

F	10	9			8		7		6		5		4			3		2		1																								
		PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																												
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P				A	B	F	M	P																								
		87891-1901	---	---	19	---	1	48.26	45.72	11.30	5.84	2.97	87891-2201	---	---	22	---	1	55.88	53.34	11.30	5.84	2.97																					
		87891-1902	---	---	19	---	2	48.26	45.72	11.30	5.84	2.97	87891-2202	---	---	22	---	2	55.88	53.34	11.30	5.84	2.97																					
		87891-1903	---	---	19	---	3	48.26	45.72	11.30	5.84	2.97	87891-2203	---	---	22	---	3	55.88	53.34	11.30	5.84	2.97																					
		87891-1904	---	---	19	---	4	48.26	45.72	11.30	5.84	2.97	87891-2204	---	---	22	---	4	55.88	53.34	11.30	5.84	2.97																					
		87891-1905	---	---	19	---	5	48.26	45.72	11.30	5.84	2.97	87891-2205	---	---	22	---	5	55.88	53.34	11.30	5.84	2.97																					
		87891-1906	---	---	19	---	6	48.26	45.72	11.30	5.84	2.97	87891-2206	---	---	22	---	6	55.88	53.34	11.30	5.84	2.97																					
		E																																										
87891-2001	---		---	20	---	1	50.80	48.26	11.30	5.84	2.97	87891-2301	---	---	23	---	1	58.42	55.88	11.30	5.84	2.97																						
87891-2002	---		---	20	---	2	50.80	48.26	11.30	5.84	2.97	87891-2302	---	---	23	---	2	58.42	55.88	11.30	5.84	2.97																						
87891-2003	---		---	20	---	3	50.80	48.26	11.30	5.84	2.97	87891-2303	---	---	23	---	3	58.42	55.88	11.30	5.84	2.97																						
87891-2004	---		---	20	---	4	50.80	48.26	11.30	5.84	2.97	87891-2304	---	---	23	---	4	58.42	55.88	11.30	5.84	2.97																						
87891-2005	---		---	20	---	5	50.80	48.26	11.30	5.84	2.97	87891-2305	---	---	23	---	5	58.42	55.88	11.30	5.84	2.97																						
87891-2006	---		---	20	---	6	50.80	48.26	11.30	5.84	2.97	87891-2306	---	---	23	---	6	58.42	55.88	11.30	5.84	2.97																						
D																																												
	87891-2101	---	---	21	---	1	53.34	50.80	11.30	5.84	2.97	87891-2401	---	---	24	---	1	60.96	58.42	11.30	5.84	2.97																						
	87891-2102	---	---	21	---	2	53.34	50.80	11.30	5.84	2.97	87891-2402	---	---	24	---	2	60.96	58.42	11.30	5.84	2.97																						
	87891-2103	---	---	21	---	3	53.34	50.80	11.30	5.84	2.97	87891-2403	---	---	24	---	3	60.96	58.42	11.30	5.84	2.97																						
	87891-2104	---	---	21	---	4	53.34	50.80	11.30	5.84	2.97	87891-2404	---	---	24	---	4	60.96	58.42	11.30	5.84	2.97																						
	87891-2105	---	---	21	---	5	53.34	50.80	11.30	5.84	2.97	87891-2405	---	---	24	---	5	60.96	58.42	11.30	5.84	2.97																						
	87891-2106	---	---	21	---	6	53.34	50.80	11.30	5.84	2.97	87891-2406	---	---	24	---	6	60.96	58.42	11.30	5.84	2.97																						
C																																												
B																																												
A																																												
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.2 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING A3-SIZE SERIES 87891 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 5 OF 8 EC NO: 679909 DRWN: AKUMAR19 CHK'D: MRAMAKRISHNA APPR: MRAMAKRISHNA 2021/10/08 2021/10/11 2021/10/11 2021/10/11 INITIAL REVISION: DRWN: YLQIAO APPR: SCLOW 2004/12/06 2004/12/07 DOCUMENT NUMBER SD-87891-013 DOC TYPE PSD DOC PART 001 REVISION B5 molex CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER PRODUCT CUSTOMER DRAWING																					DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11	11:53:25	9		8		7		6		5		4		3		2		1	
FORMAT: master-bb-prod-A3		REVISION: J		DATE: 2020/01/14		9		8		7		6		5		4		3		2		1																						

F		PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					PACKAGING OPTION PART NO.	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION								
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P					A	B	F	M	P				
		---	87891-3101	---	31	---	1	78.74	76.20	11.30	5.84	2.97	---	87891-3401	---	34	---	1	86.36	83.82	11.30	5.84	2.97	F	
		---	87891-3102	---	31	---	2	78.74	76.20	11.30	5.84	2.97	---	87891-3402	---	34	---	2	86.36	83.82	11.30	5.84	2.97		
		---	87891-3103	---	31	---	3	78.74	76.20	11.30	5.84	2.97	---	87891-3403	---	34	---	3	86.36	83.82	11.30	5.84	2.97		
		---	87891-3104	---	31	---	4	78.74	76.20	11.30	5.84	2.97	---	87891-3404	---	34	---	4	86.36	83.82	11.30	5.84	2.97		
		---	87891-3105	---	31	---	5	78.74	76.20	11.30	5.84	2.97	---	87891-3405	---	34	---	5	86.36	83.82	11.30	5.84	2.97		
		---	87891-3106	---	31	---	6	78.74	76.20	11.30	5.84	2.97	---	87891-3406	---	34	---	6	86.36	83.82	11.30	5.84	2.97		
E		---	87891-3201	---	32	---	1	81.28	78.74	11.30	5.84	2.97	---	87891-3501	---	35	---	1	88.90	86.36	11.30	5.84	2.97		E
		---	87891-3202	---	32	---	2	81.28	78.74	11.30	5.84	2.97	---	87891-3502	---	35	---	2	88.90	86.36	11.30	5.84	2.97		
		---	87891-3203	---	32	---	3	81.28	78.74	11.30	5.84	2.97	---	87891-3503	---	35	---	3	88.90	86.36	11.30	5.84	2.97		
		---	87891-3204	---	32	---	4	81.28	78.74	11.30	5.84	2.97	---	87891-3504	---	35	---	4	88.90	86.36	11.30	5.84	2.97		
		---	87891-3205	---	32	---	5	81.28	78.74	11.30	5.84	2.97	---	87891-3505	---	35	---	5	88.90	86.36	11.30	5.84	2.97		
		---	87891-3206	---	32	---	6	81.28	78.74	11.30	5.84	2.97	---	87891-3506	---	35	---	6	88.90	86.36	11.30	5.84	2.97		
D		---	87891-3301	---	33	---	1	83.82	81.28	11.30	5.84	2.97	---	87891-3611	---	36	---	1	91.44	88.90	11.30	5.84	2.97	D	
		---	87891-3302	---	33	---	2	83.82	81.28	11.30	5.84	2.97	---	87891-3602	---	36	---	2	91.44	88.90	11.30	5.84	2.97		
		---	87891-3303	---	33	---	3	83.82	81.28	11.30	5.84	2.97	---	87891-3603	---	36	---	3	91.44	88.90	11.30	5.84	2.97		
		---	87891-3304	---	33	---	4	83.82	81.28	11.30	5.84	2.97	---	87891-3604	---	36	---	4	91.44	88.90	11.30	5.84	2.97		
		---	87891-3305	---	33	---	5	83.82	81.28	11.30	5.84	2.97	---	87891-3605	---	36	---	5	91.44	88.90	11.30	5.84	2.97		
		---	87891-3306	---	33	---	6	83.82	81.28	11.30	5.84	2.97	---	87891-3606	---	36	---	6	91.44	88.90	11.30	5.84	2.97		
C																						C			
B																						B			
A																						A			

[illegible]