



Energy & Power > Power Cable Accessories > Joints & Splices



Joints & Splice Product Availability: **Americas**

Installation Instruction: **English**

Joints & Splice Technology: **Cold Applied, Cold Shrink**

Joints & Splice Voltage Class: **≤ 1 kV**

Joint & Splice Application Type: **Inline**

Features

Product Type Features

Component Design	PowerGel Sealing Gel
Adhesive Coating	With
Material System	Polypropylene Cover
Joints & Splice Technology	Cold Applied, Cold Shrink
Joints & Splice Product Type	H-Frame Splice Closure
Closing Method	Snap

Configuration Features

Number of Main Wires (Max)	1
----------------------------	---

Electrical Characteristics

Joints & Splice Voltage Class	≤ 1 kV
-------------------------------	--------

Body Features

Color	Black
-------	-------

Termination Features

Die Reference	BG
---------------	----

Mechanical Attachment

Mechanical Reinforcement	No
--------------------------	----

Dimensions

--	--



Conductor Range (Main)	6 – 2 AWG
Conductor Range (Tap)	14 – 8 AWG
Cross-Section Range	16 – 35 mm²
Cable Cross-Section (Max) (Main)	35 mm²
Cable Cross-Section (Min) (Main)	16 mm²

Usage Conditions

Chemical Resistance	Transformer Oil & Hydrocarbons (Both, Depending on Type, Conditions & Exposure Time)
Environmental Resistance	Moisture, Weathering, Rain, Salt Water, Contaminated Water ...

Operation/Application

Thermal Resistance	Applicable for Low Temperatures, Applicable for High Temperatures, Flame-Retardant
Marine-Offshore-Shipbuilding Certified	No
Free of Lead, Cadmium, Heavy Metals	Yes
Mechanical Resistance	Against Mechanical Impact
UV-Stabilized	Yes
Joint & Splice Application Type	Inline

Industry Standards

UL Rating	No
CSA Certified	No
Standards	ANSI C119.1

Product Availability

Joints & Splice Product Availability	Americas
--------------------------------------	----------

Packaging Features

Packaging Method	Pieces in Polybag
Standard Pack	10

Other

Product Use	PowerGel-filled box for LV underground & overhead splices.
Other Colors Available	No
Installation Instruction	English



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # 294925-000
GHFC-2-90(B10)



TE Part # 629995-000
GHFC-3-90(B18)



TE Part # C48562-000
GHFC-2.5-90(B300)



TE Part # 348333-000
GHFC-2-90(B100)



TE Part # 166533-000
GHFC-1-90(B100)



TE Part # 505941-000
GHFC-3-90(B6)

Also in the Series | RAYCHEM GHFC



Joints & Splices(7)

Customers Also Bought



TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #DT06-2S
PLG, 2P, GRY, N




TE Part #W2S
Wedgelocks: DEUTSCH DT



TE Part #0460-202-16141
DEUTSCH Solid Contacts



TE Part #282104-1
AMP SUPERSEAL 1.5MM,
CONNECTOR HOUSING



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #114017-ZZ
SEALING PLUG, SIZE 12/16, WHT

Documents

- Datasheets & Catalog Pages
 - GHFC-GEL-H-FRAME-CLOSURE-CABLE-ACCESSORIES
 - English
 - GHFC-GEL-H-FRAME-CLOSURE-CABLE-ACCESSORIES

- Instruction Sheets
 - Instruction Sheet (U.S.)



English