




+ CONNECTORS

STANDARD CIRCULAR CONNECTORS



✓ Active

TE CONNECTIVITY (TE)
PLUG ASSY.ASU 3 WAY. CAD PLATE.
DEUTSCH

ASU603-03PN-HE-913F
TE Internal Number: ASU603-03PN-HE913F

- EU RoHS Compliant
- EU ELV Compliant
- Connector System Wire-to-Wire
- Product Type Connector
- Shell Plating Material Cadmium, O.D.
- Shell Material Aluminum Alloy
- Polarization Code N

DOCUMENTATION

Catalog Pages/Data Sheets
Autosport Interconnection Solutions
PDF
English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features

Connector System	Wire-to-Wire
Product Type	Connector
Shell Size	3
Sealed	Yes
Connector Style	Plug
Shell Type	Metal
Assembly Type	Electrical Connector

Configuration Features

Preloaded	No
Number of Positions	3
Factory Installed Backshell	No
Keying	Key Polarization N

Body Features

Shell Plating Material	Cadmium, O.D.
Shell Material	Aluminum Alloy
Insulation Material	Hard Dielectric/Silicone
Hermetically Sealed	No
Environmental Protection Type	Sealed
Entry Style	Rear Insertion
Environmental Protection	With
Feedthrough Type	No

Contact Features

Contact Layout	3-3
Contact Type	Pin
Contact Quantity (Size 22D)	3

Mechanical Attachment

Polarization Code	N
Mating Alignment Type	Keyed
Mating Retention	With
Mating Alignment	With
Flange	Without
Mating Retention Type	Coupling Ring

Dimensions

Wire/Cable Size (AWG)	22
Assembly Length (mm)	17.7

Usage Conditions

Fluid Resistance	Immersible
Operating Temperature Range (°C)	-55 – 170

Operation/Application

Durability Rating (Cycles)	500
-----------------------------------	-----

Industry Standards

IP Water Sealing Level	7
IP Dust Sealing Level	6

Other

Field Serviceable Yes

Statement of Compliance

Statement of Compliance

PDF