# AVC16LAIOFE1DT5B04 ACTIVE

#### Alcoswitch | Alcoswitch AVC16

TE Internal #: 2342833-1

Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal Switch, Single Actuator, Alcoswitch AVC16, Push Button Switches

View on TE.com >




Switches > Push Button Switches











Configuration (Pole-Throw): Single Pole - Single Throw
Push Button Switch Product Type: Anti-Vandal Switch

Number of Actuators: Single

Actuator Profile: Flush
Bushing Style: Threaded

### **Features**

### Product Type Features

Switch Connection Type	Long Leads
Push Button Switch Product Type	Anti-Vandal Switch
Illuminated	With
Actuator Style	Round

### **Configuration Features**

Panel Cutout Size	16 (Diameter) mm[.63 (Diameter) in]
Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Actuators	Single
Switch Feedback Type	Non-Tactile
Operating Function	1 Pole, NO, On Off

#### **Electrical Characteristics**

Contact Current Rating	1 A
Operating Voltage Range	5 – 24 VDC

### **Body Features**



Actuator Force	0 g[0 oz]
Case Material	Aluminum
Actuator Material	Aluminum
Sealing Method	Ероху
Product Orientation	Vertical
Actuator Profile	Flush
Bushing Style	Threaded
Bushing Thread Size	M16 x 1
Actuator Color	Silver
Mechanical Attachment	
Attachment Method	Screw-On
Housing Features	
Low Profile	Yes
Dimensions	
Bushing Diameter	16 mm[.63 in]
Bushing Length	15 mm[.59 in]
Usage Conditions	
Operating Temperature Range	-20 – 65 °C
Industry Standards	
IP Rating	IP68
Packaging Features	
Packaging Method	Loose Piece

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements:



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts















Also in the Series | Alcoswitch AVC16





## Customers Also Bought















### **Documents**

### **Product Drawings**

AVC16L FLAT AIO RGB RL 500MM/2X3

English

#### **CAD Files**

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2342833-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2342833-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2342833-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### AVC16LAIOFE1DT5B04

Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal Switch, Single Actuator, Alcoswitch AVC16, Push Button Switches



Datasheets & Catalog Pages

AVC Series - Anti-Vandal Illuminated Capacitive Switches

English