


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	02JUN2015	DL	CW
	A1	ECR-18-004153	08AUG2018	GY	CW







TYPE 3: SIDE/TOP ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 1
类型3: 侧/顶出, 未定义尺寸&规格参照类型1.

- PG / M THREAD I
PG / M 螺纹孔 I

注 释：
| 技术参数：
| 主体材料： 铝合金
| 表面处理： 粉末喷涂， 灰色
| 工作温度： -40~+125℃
| 防护等级： IP65（配合）

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 02JUN2015 DAVID LI CHK 02JUN2015 CHRIS WANG APVD 02JUN2015 XU XIANG		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±: 1 PLC ±: 2 PLC ±: 3 PLC ±: 4 PLC ±: ANGLES ±: MATERIAL FINISH		NAME H32B-TS/TG/TSH/TGH-RO-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
- -		WEIGHT -		A2 00779 C-T13X0320XXX000	
CUSTOMER DRAWING		SCALE 1:1		SHEET 1 OF 2 REV A1	



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT20 BY - ALL RIGHTS RESERVED.		



TYPE 4: HIGH CONSTRUCTION, SIDE ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 1.
类型4: 高结构, 侧出, 未定义尺寸&规格参照类型1.

T1330320121-000	H32B-TSH-RO-PG21	H32B HOOD, SIDE ENTRY PG21, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG21,2耳,高结构,灰色粉末喷涂	PG21	-	TYPE 4 类型4
T1330320129-000	H32B-TSH-RO-PG29	H32B HOOD, SIDE ENTRY PG29, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG29,2耳,高结构,灰色粉末喷涂	PG29	-	
T1330320132-000	H32B-TSH-RO-M32	H32B HOOD, SIDE ENTRY M32, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出M32,2耳,高结构,灰色粉末喷涂	M32	-	
T1330320136-000	H32B-TSH-RO-PG36	H32B HOOD, SIDE ENTRY PG36, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出PG36,2耳,高结构,灰色粉末喷涂	PG36	-	
T1330320140-000	H32B-TSH-RO-M40	H32B HOOD, SIDE ENTRY M40, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,侧出M40,2耳,高结构,灰色粉末喷涂	M40	-	TYPE 5 类型5
T1340320121-000	H32B-TGH-RO-PG21	H32B HOOD, TOP ENTRY PG21, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG21,2耳,高结构,灰色粉末喷涂	-	PG21	
T1340320125-000	H32B-TGH-RO-M25	H32B HOOD, TOP ENTRY M25, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M25,2耳,高结构,灰色粉末喷涂	-	M25	
T1340320129-000	H32B-TGH-RO-PG29	H32B HOOD, TOP ENTRY PG29, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG29,2耳,高结构,灰色粉末喷涂	-	PG29	
T1340320132-000	H32B-TGH-RO-M32	H32B HOOD, TOP ENTRY M32, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M32,2耳,高结构,灰色粉末喷涂	-	M32	
T1340320136-000	H32B-TGH-RO-PG36	H32B HOOD, TOP ENTRY PG36, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG36,2耳,高结构,灰色粉末喷涂	-	PG36	
T1340320140-000	H32B-TGH-RO-M40	H32B HOOD, TOP ENTRY M40, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M40,2耳,高结构,灰色粉末喷涂	-	M40	
T1340320142-000	H32B-TGH-RO-PG42	H32B HOOD, TOP ENTRY PG42, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出PG42,2耳,高结构,灰色粉末喷涂	-	PG42	
T1340320150-000	H32B-TGH-RO-M50	H32B HOOD, TOP ENTRY M50, 2 EAR,HIGH CONSTRUCTION,POWDER COATED, GREY H32B上壳,顶出M50,2耳,高结构,灰色粉末喷涂	-	M50	TYPE 5 类型5
T1340320163-000	H32B-TGH-RO-M63	H32B HOOD, TOP ENTRY M63, 2 EAR,HIGH CONSTRUCTION,POWDR COATED, GREY H32B上壳,顶出M63,2耳,高结构,灰色粉末喷涂	-	M63	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 4 PG/M螺纹孔4	PG/M THREAD 5 PG/M螺纹孔5	TYPE 类型

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



TYPE 5: HIGH CONSTRUCTION, TOP ENTRY, UNDEFINED DIMENSIONS REFER TO TYPE 4.
类型5: 高结构, 顶出, 未定义尺寸&规格参照类型4.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 02JUN2015 CHK DAVID LI 02JUN2015 CHRIS WANG 02JUN2015 APVD XU XIANG 02JUN2015		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME H32B-TS/TG/TSH/TGH-RO-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE A2	
MATERIAL - -		FINISH - -		CAGE CODE 00779	
		WEIGHT -		DRAWING NO C-T13X0320XXX000	
		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 OF 2 REV A1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[T1310320136-000](#)