



Part Number : 2018460010

Series Number : 201846

Product Category : Crimp Terminals

Product Description : MultiCat High-Power  
Receptacle Terminal, Gold over Nickel  
Phosphorus Plating, 18-16 AWG

Status : Active

Engineering Number : FPG002S204

Documents & Resources

Drawings

Drawing 2018460010\_sd.pdf

Packaging Design Drawing 2018460001-PK.pdf

Specifications

Application Specification 2009140003-AS-000.pdf

Application Specification 2018400000-AS-000.pdf

Product Specification 2009140003-000.pdf


Product Specification 2018400000-PS-000.pdf

Test Summary 2009140003-TS-000.pdf

Test Summary 2018400000-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 3; 44; 33; 34
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

Status	Active
Category	Crimp Terminals
Series	201846
Description	MultiCat High-Power Receptacle Terminal, Gold over Nickel Phosphorus Plating, 18-16 AWG
Application	Power, Wire-to-Board, Wire-to-Wire
Product Family	MultiCat Power Connectors with Precision-Machined Contacts
Product Name	MultiCat
UPC	889056747431

#### Electrical

Current - Maximum per Contact	16.0A
Voltage - Maximum	1000V AC

#### Physical

Durability (mating cycles max)	500
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Gold over Nickel Phosphorus
Material - Plating Termination	Gold
Net Weight	1.830/g
Packaging Type	Bag
Plating min - Mating	0.100µm
Plating min - Termination	0.200µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	2.36mm-2.59mm

Wire Size (AWG)	16, 18
Wire Size mm <sup>2</sup>	0.82-1.31

---

Use with Part(s)

Description	Part Number
MultiCat High-Power Circular Receptacle Housings	<u>200915</u>
MultiCat High-Power Inline Receptacle Housings	<u>201841</u>

---

Application Tooling

Global

Description	Part Number
Hand Crimp Tool for MultiCat Machined High-Power Contact, 18-8 AWG	<u>2002182300</u>
Extraction Tool for MultiCat High-Power Crimp Terminals, 18-8 AWG	<u>2002220200</u>

---