178327-5 ✓ ACTIVE

Dynamic Series | Dynamic 3000 Series

TE Internal #: 178327-5

PCB Mount Header, Vertical, Wire-to-Board, 16 Position, 3.81 mm [.

15 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder,

Dynamic 3000 Series

View on TE.com >




Connectors > PCB Connectors > PCB Headers & Receptacles > Header Assembly: Wire-to-Board, 15A, gold or tin plated











PCB Connector Assembly Type: PCB Mount Header

Connector System: Wire-to-Board

Number of Positions: 16

Number of Rows: 2

Centerline (Pitch): 3.81 mm [.15 in]

All Header Assembly: Wire-to-Board, 15A, gold or tin plated (120)

Features

Product Type Features

| rioddet Type Fediales | |
|-----------------------------------|-----------------------|
| PCB Connector Assembly Type | PCB Mount Header |
| Connector System | Wire-to-Board |
| Header Type | Fully Shrouded |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Number of Positions | 16 |
| Number of Rows | 2 |
| PCB Mount Orientation | Vertical |
| Body Features | |
| Primary Product Color | Black |



| Contact Mating Area Plating Material Thickness | 2 μm[80 μin] |
|--|----------------------------|
| Contact Mating Area Plating Material Finish | Matte |
| Contact Mating Area Plating Material | Tin |
| Contact Type | Pin |
| Contact Current Rating (Max) | 8 A |
| Termination Features | |
| Termination Method to PCB | Through Hole - Solder |
| Mechanical Attachment | |
| Mating Alignment Type | Polarization |
| Mating Retention | With |
| PCB Mount Retention Type | Retention Leg |
| Connector Mounting Type | Board Mount |
| Mating Alignment | With |
| PCB Mount Alignment | Without |
| PCB Mount Retention | With |
| Housing Features | |
| Housing Material | Polyester GF |
| Centerline (Pitch) | 3.81 mm[.15 in] |
| Usage Conditions | |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) |

Box, Tube



Candidate List Declared Against: JUNE 2024 (241)

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Dynamic 3000 Series



Connector Contacts(94)



Connector Hardware(8)



Insertion & Extraction Tools(2)



PCB Headers & Receptacles(283)

PCB Mount Header, Vertical, Wire-to-Board, 16 Position, 3.81 mm [.15 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder, Dynamic 3000 Series









Standard Rectangular Connectors(2)



Wire-to-Board Connector Assemblies & Housings(152)

Customers Also Bought



TE Part #1-917658-5 DYNAMIC 3200 HDR ASSY



TE Part #1-178313-5
DYNAMIC D3100 HDR V 3P ASSY




TE Part #1761606-5
IDC LOW PRO HDR 14P VERT LG LA



TE Part #1-1761606-5
IDC LOW PRO HDR 50P VERT LG LA



TE Part #1761606-7
IDC LOW PRO HDR 20P VERT LG LAT
BLK



TE Part #1744037-7 07P EC PWR.200 CL HDR ASSY VRT

Documents

Product Drawings

DYNAMIC D/ROW HDR 16P V ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_178327-5_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_178327-5_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_178327-5_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

PCB Mount Header, Vertical, Wire-to-Board, 16 Position, 3.81 mm [.15 in] Centerline, Fully Shrouded, Tin, Through Hole - Solder, Dynamic 3000 Series



Product Specifications

Product Specification

English

Agency Approvals

TUV Certificate

English