1-2141324-1 ACTIVE

MCON | MCON 1.2mm

TE Internal #: 1-2141324-1

Housing for Male Terminals, Wire-to-Wire, 6 Position, 4 mm [.157 in] Centerline, Sealable, Black, Wire & Cable, Power, MCON 1.2mm

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MCON 1.2, 1-row, 2-8 POS TAB Housing, Sealed











Connector System: Wire-to-Wire

Number of Positions: 6

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 4 mm [.157 in]

Sealable: Yes

All MCON 1.2, 1-row, 2-8 POS TAB Housing, Sealed (20)

Features

Product Type Features

Operating Voltage

Nominal Voltage Architecture

Troddet Type reduces		
Mixed & Hybrid Connector	No	
Connector Shape	Rectangular	
Connector System	Wire-to-Wire	
Connector & Housing Type	Housing for Male Terminals	
Sealable	Yes	
Connector & Contact Terminates To	Wire & Cable	
Primary Locking Feature	On the Terminal	
Configuration Features		
Number of Positions	6	
Number of Rows	1	
Electrical Characteristics		

14 VDC

14 V



Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	A

Contact Features

Contact Size	1.2mm
Contact Type	Tab
Mating Tab Width	1.2 mm[.047 in]
Contact Current Rating (Max)	24 A

Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	4 mm[.157 in]

Dimensions

Connector Height	16.3 mm[.642 in]
Product Width	44 mm[1.732 in]
Product Length	32.2 mm[1.268 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Packaging Quantity

Circuit Applicat	ion	Power	
Packaging Featur	res		

750

Other



Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




















Also in the Series | MCON 1.2mm

TOOL FOR SECONDARY LOCK









Automotive Connector Caps & Covers (18)

Automotive Connector Locks & Position Assurance(10)

Automotive Housings(328)

Automotive Terminals(96)



Connector Seals & Cavity Plugs(11)




Insertion & Extraction Tools(5)




Other Automotive Connector Accessories(7)

Customers Also Bought



TE Part #1-1718346-3 3POS MQS REC COD A



TE Part #1924667-1 13p Hybrid - 1pc Unsealed Plug, Key A



TE Part #1823347-1 8POS, MIXED, REC HSG, ASSY



TE Part #174910-2 040 MLC PLUG HSG 20P



TE Part #1326140-1 32WAY LAC SHIELD ASSEMBLY 70 D



TE Part #2272010-2 Plug Assembly, 16P GET, w/ CPA TE Part #2819291-1 CHANNEL WITH WINDOW TE Part #4-2177804-2 ACTUATOR, LOCKING UNIT ASSY, TYPE 2



TE Part #570055-000

TE Part #2819292-1

BL-POLY125-16-0-90MM

ARM GUIDE

Documents

Product Drawings

6POS, MCON 1.2 LL TAB SEALED COD A

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-2141324-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2141324-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2141324-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English