


REVISIONS			DOC. NO. SPC-F005 * Effective: 7/8/02 * DCP No: 1398					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
2025	A	RELEASED	JN	02-06-09	JWM	02-06-09	JWM	02-06-09
2090	B	UPDATE DRAWING	JYC	2/22/10				



Features:

- For General Purpose
- Capacitor Dielectric Material: Multilayer Ceramic
- Termination: Radial Leaded
- Lead Pitch: 2.54 and 5.08
- Voltage Rating: 50 VDC

Manufacturers part number	Capacitance	Capacitance Tolerance	Lead Pitch (F)	Sell UOM	Sell QOM
MC1206N392J500A5.08MM	3900 pF	±5%	5.08 mm	Ea.	1
MC1206N392J500A5.08MM	3900 pF	±5%	5.08 mm	Ammo Pack	2500
MC1206N682J500A5.08MM	6800 pF	±5%	5.08 mm	Ea.	1
MC1206N682J500A5.08MM	6800 pF	±5%	5.08 mm	Ammo Pack	2500
MC1206N822J500A5.08MM	8200 pF	±5%	5.08 mm	Ea.	1
MC1206N822J500A5.08MM	8200 pF	±5%	5.08 mm	Ammo Pack	2500
MC1206N472J500A2.54MM	4700 pF	±5%	2.54 mm	Ea.	1
MC1206N472J500A2.54MM	4700 pF	±5%	2.54 mm	Ammo Pack	2500

DISCLAIMER:

ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED
HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE
BELIEVE TO BE ACCURATE AND RELIABLE. SINCE
CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE
USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT
FOR THE INTENDED USE AND ASSUME ALL RISK AND
LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:	DATE:	DRAWING TITLE:			
JN	02-06-09	Multilayer Ceramic Capacitor			
CHECKED BY:	DATE:				
JWM	02-06-09				
APPROVED BY:	DATE:				
JWM	02-06-09	SIZE	DWG. NO.	ELECTRONIC FILE	REV
		A	Ta-1074	Ta-1074.dwg	A
SCALE: NTS		U.O.M.: MILLIMETER		SHEET: 1	OF 1