KISSLING | KISSLING Series 31

TE Internal #: K1143046

Intelligent Power Relay, Bistable, 2 Coils, Polarized, .067 W Coil, 7.8

– 8.4 ohm Coil Resistance, KISSLING Series 31, Power Relays

View on TE.com >



Relays & Contactors > Relays > Power Relays > Power Relay, 300A, Bistable, 2 Coils, Polarized, EC



Relay Type: Intelligent Power Relay

Coil Magnetic System: Bistable, 2 Coils, Polarized

Coil Power Rating DC: .067 W Coil Resistance: $7.8 - 8.4 \Omega$

Coil Special Features: Coil Suppression Diode

All Power Relay, 300A, Bistable, 2 Coils, Polarized, EC (6)

Features

Product Type Features

Troduct Type readures	
Relay Type	Intelligent Power Relay
Configuration Features	
Relay Options	Safety Coil Intelligence Feature
Coil Special Features	Coil Suppression Diode
Contact Arrangement	1 Form X SPST-NO-DM
Contact Number of Poles	1
Electrical Characteristics	
Coil Power Rating DC	.067 W
Coil Resistance	$7.8 - 8.4 \Omega$
Coil Voltage Rating	18 VDC, 32 VDC
Contact Current Rating	300 A
Contact Voltage Rating	24 VDC
Contact Features	
Contact Material	AgSnO2
Termination Features	

Terminals

Relay Connection Type



$T \cdot I \cap C \cdot I \cdot$	\sim \pm \cdot \cdot
Lorminal (ontiquiration	Scrow Lorminale
Terminal Configuration	Screw Terminals
1 orringaration	

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Panel

Dimensions

Product Width	60 mm[2.36 in]
Product Length	78 mm[3.07 in]
Product Height	89 mm[3.5 in]

Operation/Application

Coil Magnetic System	Bistable, 2 Coils, Polarized
con magnetic system	<i>Biotabio, 2 30110, 1 31411204</i>

Packaging Features

Packaging Method	Carton	

Other

Contact Current Class	300 A	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (3.1% in Component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | KISSLING Series 31



Customers Also Bought























Documents

Product Drawings

Relay 31-313-12-S

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_31-313-12-S_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_31-313-12-S_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_31-313-12-S_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

KISSLING BI-STABLE RELAYS WITH INTERNAL CONTROL ELECTRONICS Series 31 / SAFETY

English