

https://www.phoenixcontact.com/us/products/3040614



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Latching, number of positions: 2, length: 64 mm, color: orange

Your advantages

- Can be snapped into the plug housing as an option
- The conductor can be fixed using Phoenix Contact cable binders
- · Latching and strain relief in one component

Commercial data

Item number	3040614
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE02
Product key	BE214Z
Catalog page	Page 363 (C-1-2019)
GTIN	4017918832759
Weight per piece (including packing)	1.486 g
Weight per piece (excluding packing)	1.44 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/3040614



Technical data

Product properties

Product type	Mounting material		
Number of positions	2		
Data management status	status		
Article revision	01		
Dimensions			
Width	9.7 mm		
Height	63.6 mm		

Material specifications

Length

Color	orange (RAL 2003)
Material	PA-GF

63.6 mm



https://www.phoenixcontact.com/us/products/3040614



Classifications

ECLASS

	ECLASS-11.0	27141192		
	ECLASS-12.0	27141192		
	ECLASS-13.0	27141192		
ETIM				
	ETIM 9.0	EC004592		

UNSPSC

3040614

https://www.phoenixcontact.com/us/products/3040614



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com