

AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547  
<https://www.phoenixcontact.com/us/products/1194547>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Foam insert with machined contour for storing hand tools and accessories in accordance with the 5S principle, compatible with the AS-WORKBENCH-F ...



Your advantages

- Rapid access and arrangement of hand tools in accordance with the 5S principle
- Modular configuration of the tool drawer with various foam inserts
- Secure and clearly arranged storage

Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1194547       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | BH32          |
| Product key                          | BH371Z        |
| GTIN                                 | 4063151248291 |
| Weight per piece (including packing) | 175 g         |
| Weight per piece (excluding packing) | 175 g         |
| Customs tariff number                | 39239000      |
| Country of origin                    | DE            |

# AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547  
<https://www.phoenixcontact.com/us/products/1194547>

## Technical data

### Notes

|                     |                                                             |
|---------------------|-------------------------------------------------------------|
| Note on application | Items that can be placed directly on or in this foam insert |
|---------------------|-------------------------------------------------------------|

### Product properties

|              |                       |
|--------------|-----------------------|
| Product type | Workbench foam insert |
|--------------|-----------------------|

### Dimensions

|        |        |
|--------|--------|
| Width  | 210 mm |
| Height | 30 mm  |
| Length | 305 mm |

### Material specifications

|       |                            |
|-------|----------------------------|
| Color | anthracite grey (RAL 7016) |
|-------|----------------------------|

# AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547  
<https://www.phoenixcontact.com/us/products/1194547>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 21101046 |
| ECLASS-12.0 | 21101046 |
| ECLASS-13.0 | 21101046 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC011819 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 22101500 |
|-------------|----------|

# AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547

<https://www.phoenixcontact.com/us/products/1194547>

## Accessories

### UNIFOX-P VDE - Pointed pliers

1212204

<https://www.phoenixcontact.com/us/products/1212204>



Needle-nose pliers with blade, notched grip area,  
VDE 1000 V AC/1500 V DC tested

---

### CRIMPFOX DUO 10 - Crimping pliers

1031721

<https://www.phoenixcontact.com/us/products/1031721>



Crimping pliers, contact connection type: Insulated and uninsulated ferrules, standards/specifications: DIN 46228-1, DIN 46228-4, UL 486F, form A, E, F, min. cross section: 0.14 mm<sup>2</sup>, max. cross section: 10 mm<sup>2</sup>, for TWIN ferrules up to 2 x 4 mm<sup>2</sup>, automatic cross section adjustment, rotating die, lateral and frontal insertion, compression: Trapezoidal crimp, black/green

# AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547

<https://www.phoenixcontact.com/us/products/1194547>

## CUTFOX-MPS - Cutting tool

1139725

<https://www.phoenixcontact.com/us/products/1139725>



Multifunctional scissors, micro-serrated cutting area, suitable for cardboard, aluminum, Kevlar fibers, and plastic, outside blade edge can be used to safely cut adhesive tape, two-component non-slip soft-grip handles, ergonomic design, adjustable screw joint, with protective cover

---

## WIREFOX 10 - Stripping tool

1212150

<https://www.phoenixcontact.com/us/products/1212150>



Stripping tool, for cables and conductors from 0.02 - 10 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

# AS-WB-F/T-BOARD A1 210X300 - Workbench foam insert



1194547

<https://www.phoenixcontact.com/us/products/1194547>

## SF-SL 0,8X4,0-100 S-VDE - Screwdriver

1212588

<https://www.phoenixcontact.com/us/products/1212588>



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip

---

## ST-BW - Actuation tool

1207608

<https://www.phoenixcontact.com/us/products/1207608>



Actuation tool, for all 2.5 mm<sup>2</sup> - 4.0 mm<sup>2</sup> spring-cages

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)