TE Internal #: 60007-2

Closed Ring Tongue Terminal, 26 – 22 AWG, M3 Stud Size, 2.54 mm [.1 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **254 – 642 CMA** 

Stud Size: M3

## **Features**

## **Product Type Features**

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel
Mechanical Attachment	



### **Dimensions**

	.04 in
Wire Size	254 – 642 CMA
Stud Diameter	2.54 mm[.1 in]
Tongue Thickness	.36 mm[.014 in]
Product Length	10.8 mm[.425 in]
Barrel Inside Diameter	.76 mm, 1.27 mm[.03 in][.05 in]
Compatible Insulation Diameter (Max)	1.52 mm[.06 in]
Compatible Insulation Diameter Range	1.02 – 1.52 mm[.04 – .06 in]
Usage Conditions	

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]

## Operation/Application

# **Industry Standards**

Government Qualified Terminal	No
-------------------------------	----

## **Packaging Features**

Packaging Quantity	50000
Packaging Method	Strip/Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



TE Part # 2150236-1
OCEAN\_2.0\_APPLICATOR-E062F090F-REM



TE Part # 2150236-2
OCEAN\_2.0\_APPLICATOR-E062F090F-REA



# Customers Also Bought



TE Part #1564562-5 SLIDE,TAB HSG GROUP D



TE Part #1394133-1
SINGLE WIRE SEAL BLUE



TE Part #7536494002 RT555-1/8-0-SP











### **Documents**

### **Product Drawings**

RING TERMINAL CRIMP TAB 26-22 AWG TPBR

English

## **CAD Files**



3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_60007-2\_S\_c-60007-2-s.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_60007-2\_S\_c-60007-2-s.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_60007-2\_S\_c-60007-2-s.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Engineering Report** 

English