

1212779

https://www.phoenixcontact.com/us/products/1212779

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, laser marked according to customer specifications, for uninsulated slip-on sleeves 2.8 and 4.8, 0.1 \dots 1.5 mm², B crimp

Your advantages

- · Unlockable pressure lock
- · Consistently high crimping quality
- · Marked die stations for precise processing of corresponding cross sections

Commercial data

| Item number | 1212779 |
|--------------------------------------|--------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Product key | BH313V |
| Catalog page | Page 473 (C-3-2019) |
| GTIN | 4046356943062 |
| Weight per piece (including packing) | 440.6 g |
| Weight per piece (excluding packing) | 440.6 g |
| Country of origin | SE |



1212779

https://www.phoenixcontact.com/us/products/1212779

Technical data

Notes

| Environmental Produc | ct Compliance |
|----------------------|---------------|
|----------------------|---------------|

| California Proposition 65 | Further information on California's prop. 65 is available under |
|---------------------------|---|
| | "Downloads" in the manufacturer's declaration |

Product properties

| Product type | Crimping tool |
|--------------|---------------|
| Compression | B crimp |

Connection data

Conductor connection

| Cross section range, metric | 0.1 mm² 1.5 mm² |
|-----------------------------|-----------------|
| Cross section range AWG | 26 16 |

Dimensions


| Width | 18 mm |
|--------|--------|
| Height | 59 mm |
| Length | 198 mm |



https://www.phoenixcontact.com/us/products/1212779



Drawings





1212779

https://www.phoenixcontact.com/us/products/1212779

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1212779



EAC

Approval ID: RU x-DE.xx08.B.02974



1212779

https://www.phoenixcontact.com/us/products/1212779

Classifications

UNSPSC 21.0

ECLASS

| | ECLASS-11.0 | 21043811 |
|------|-------------|----------|
| | ECLASS-12.0 | 21043811 |
| | ECLASS-13.0 | 21043811 |
| ETIM | | |
| | ETIM 9.0 | EC000168 |
| UN | ISPSC | |

27111500



1212779

https://www.phoenixcontact.com/us/products/1212779

Environmental product compliance

| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |



1212779

https://www.phoenixcontact.com/us/products/1212779

Accessories

CRIMPFOX-SC 1,5/DIE - Replacement die

1212049

https://www.phoenixcontact.com/us/products/1212049

Spare die for CRIMPFOX-SC 1,5



CRIMPFOX/ SPR-3 - Replacement spring

1212036

https://www.phoenixcontact.com/us/products/1212036

Spare recuperating spring



Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com