






注記
NOTES


- 材質
ウエハー：耐熱性ナイロン UL94V-0
ピン：銅合金、ニッケル下地、錫メッキ、金メッキ
フィッティングネール：銅合金、ニッケル下地、錫メッキ
MATERIAL
WAFER: POLYAMIDE UL94V-0
PIN: COPPER ALLOY, GOLD OR TIN OVER NICKEL PLATE.
FINNTING NAIL: COPPER ALLOY, TIN OVER NICKEL PLATE.
- 色：ナチュラル、黒、赤、青
COLOR: NATURAL, BLACK, RED, BLUE
- 嵌合相手：
ハウジング:502351-**0*
錫メッキ端子:50212-8*00,50372-8*00,560085-0101
金メッキ端子:56161-8*81
MATES WITH
HOUSING:502351-**0*
SN PLATING TERMINAL: 50212-8*00,50372-8*00,560085-0101
AU PLATING TERMINAL: 56161-8*81

- エンボス梱包品の詳細はSD-560020-002参照
DETAILED TAPING PACKAGE, SEE SD-560020-002
- 半田付け面のコプラナリティ: 0.1mm MAX.
CO-PLANARITY OF SOLDER TAILS TO BE 0.1mm MAX.
- 一般公差
GENERAL TOLERANCES
10 UNDER: ± 0.2
10 OVER 30 UNDER: ± 0.25
30 OVER: ± 0.3
ANGULAR: $\pm 1^\circ$

INITIAL REVISION:		
DRWN	SHSHIBATA	2009/02/18
CHECK	HKOMATSU	2009/02/18
APPR	AKANESHIGE	2009/02/18





フィッティングネール
FITTING NAIL



FUNCTIONAL SYMBOLS $\nabla_A = 0$ $\nabla_F = 0$ $\nabla_P = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex 2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT					
	mm		5:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 635305 DRWN: MUNEMOTO 2020/04/02 CHK'D: HIJIMA 2020/04/03 APPR: TOSADA 2020/04/06 INITIAL REVISION: DRWN: DRAWN BY 0099/99/99 APPR: APPR BY 0099/99/99					PRODUCT CUSTOMER DRAWING					
		MM	INCH												
	4 PLACES	±	±	±											
	3 PLACES	±	±	±											
	2 PLACES	±	±	±											
	1 PLACE	±	±	±	DOCUMENT NUMBER SD-560020-001					DOC TYPE PSD	DOC PART 001	REVISION K			
	0 PLACES	±	±	±											
ANGULAR TOL ± °															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		560020				GENERAL MARKET		1 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2020/04/06	00:33:42
-----------------	----	--------------	------------	----------






INITIAL REVISION:
DRWN SHSHIBATA 2009/02/18
CHECK HKOMATSU 2009/02/18
APPR AKANESHIGE 2009/02/18

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex	
DIVISIONAL SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 635305		2.0MM PITCH W/B CONN. WAFER ASSY ST. SMT	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		DRWN: MUNEMOTO 2020/04/02		PRODUCT CUSTOMER DRAWING	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		CHK'D: HIIJIMA 2020/04/03		DOCUMENT NUMBER	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		APPR: TOSADA 2020/04/06		SD-560020-001	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		INITIAL REVISION:		DOC TYPE	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		DRWN: DRAWN BY 0099/99/99		DOC PART	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		APPR: APPR BY 0099/99/99		REVISION	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		THIRD ANGLE PROJECTION		MATERIAL NUMBER	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		DRAWING		CUSTOMER	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		A3-SIZE		GENERAL MARKET	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		SERIES		SHEET NUMBER	
FUNCTIONAL SYMBOLS		DIVISIONAL SYMBOLS		560020		3 OF 4	

D	Sn BLACK	11.8	29.1	33.7	36.6	560020-1521	15	Sn RED						15	Sn BLUE						15	D
		11.8	27.1	31.7	34.6	560020-1421	14							14							14	
		11.8	25.1	29.7	32.6	560020-1321	13							13							13	
		11.8	23.1	27.7	30.6	560020-1221	12							12							12	
		11.8	21.1	25.7	28.6	560020-1121	11							11							11	
		11.8	19.1	23.7	26.6	560020-1021	10							10							10	
		11.8	17.1	21.7	24.6	560020-0921	9							9							9	
		11.8	15.1	19.7	22.6	560020-0821	8		11.8	15.1	19.7	22.6	560020-0822	8		11.8	15.1	19.7	22.6	560020-0823	8	
		11.8	13.1	17.7	20.6	560020-0721	7							7							7	
		11.8	12	15.7	18.6	560020-0621	6		11.8	12	15.7	18.6	560020-0622	6		11.8	12	15.7	18.6	560020-0623	6	
		9.8	10	13.7	16.6	560020-0521	5							5							5	
		7.8	8	11.7	14.6	560020-0421	4		7.8	8	11.7	14.6	560020-0422	4		7.8	8	11.7	14.6	560020-0423	4	
5.8	6	9.7	12.6	560020-0321	3	5.8	6	9.7	12.6	560020-0322	3	5.8	6	9.7	12.6	560020-0323	3					
6.3		8.0	10.9	560020-0221	2	6.3		8.0	10.9	560020-0222	2	6.3		8.0	10.9	560020-0223	2					
PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS	PLATING COLOR	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CKTS		
CONNECTOR SERIES NO. 560020-**28							CONNECTOR SERIES NO. 560020-**48							CONNECTOR SERIES NO. 560020-**68								

FORMAT: Mat-lega-master-ib-prod-A3 REVISION: 2 DATE: 2020/01/14	9	8	7	6	5	4	3	2	1
---	---	---	---	---	---	---	---	---	---



[illegible]