# DSTA001NN00740001000 ACTIVE



TE Internal #: DSA001N00740001000

Cable-to-Cable, 8 Position, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66, Standard

Circular Connectors

View on TE.com >




Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Cable-to-Cable

Connector Mounting Type: Cable Mount (Free-Hanging)

Number of Positions: 8

Sealable: No

Circuit Application: Power & Signal

### **Features**

#### Product Type Features

| Product Type            | Housing Assembly |
|-------------------------|------------------|
| Connector System        | Cable-to-Cable   |
| Sealable                | No               |
| Circular Connector Type | Plug             |
| Shell Type              | Metal            |
| Configuration Features  |                  |

| Number of Positions        | 8  |
|----------------------------|----|
| Number of Power Positions  | 4  |
| Number of Signal Positions | 4  |
| Contacts Preloaded         | No |

#### **Electrical Characteristics**

| Operating Voltage | 250 VAC, 630 VAC |  |
|-------------------|------------------|--|
|-------------------|------------------|--|

## **Body Features**

| Environmental Protection Type | Sealed |  |
|-------------------------------|--------|--|
|-------------------------------|--------|--|



| Environmental Protection                    | IP67                       |
|---|----------------------------|
| Shell Plating Material                      | Electrodeposited Nickel    |
| Shell Base Material                         | Zinc Alloy                 |
| Circular Connector Insulation Material Type | PA66                       |
| Mechanical Attachment                       |                            |
| Mating Retention Type                       | Screw                      |
| Mating Alignment                            | With                       |
| Connector Mounting Type                     | Cable Mount (Free-Hanging) |
| Mating Retention                            | With                       |
| Housing Features                            |                            |
| Circular Connector Shell Size               | 58                         |
| Alignment Keyed                             | 0°                         |
| Dimensions                                  |                            |
| Cable Diameter Range                        | 17 – 36 mm[.67 – 1.42 in]  |
| Usage Conditions                            |                            |
| IP Water Sealing Level                      | IP67                       |
| Operating Temperature Range                 | -20 – 130 °C[-4 – 266 °F]  |
| Operation/Application                       |                            |
| Durability Rating                           | 500 Cycles                 |
| Circuit Application                         | Power & Signal             |
| Shielded                                    | Yes                        |

## **Industry Standards**

| UL Flammability Rating                      | UL 94V-0 |
|---|----------|
| Compatible With Approved Standards Products | UL       |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions                    |
|---|--|
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions                    |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241) |

Cable-to-Cable, 8 Position, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66, Standard Circular Connectors



Candidate List Declared Against: JAN 2024 (240)

SVHC > Threshold:

Pb (3.5% in Component)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





TE Part # DFC611T03000001000 958 RECEPTACLE, ANGLED



TE Part # DKA002N00740001000 958 EXTENSION

TE Part # C0-0092-000-000
POSITIONING INSERT FOR 1.6 MM
CONTACTS

TE Part # C0-0207-000-000
BATTERY CRIMPING TOOL

TE Part # C0-0209-000-P00
CRIMP SPLITS MK 12-C FOR 35
SQUARE

TE Part # C0-0201-000-P00 CRIMPING TOOL MID-SIZE TE Part # C0-0210-000-P00
CRIMP SPLITS MK 10-C FOR 25
SQUARE

Cable-to-Cable, 8 Position, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66, Standard Circular Connectors



TE Part # C0-0211-000-P00 CRIMP SPLITS MK 8-C FOR 10 AND 16 **SQUARE** 

TE Part # C0-0208-000-P00 CRIMP SPLITS MK 14-C FOR 50 SQUARE

# Customers Also Bought



TE Part #60-0225-011-000 CONTACT SOCKET 3,6 MM









958 EXTENSION









## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_DSA001N00740001000\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DSA001N00740001000\_A.3d\_igs.zip

English

Cable-to-Cable, 8 Position, Power & Signal, Cable Mount (Free-Hanging), Electrodeposited Nickel, Zinc Alloy, PA66, Standard Circular Connectors



#### **Customer View Model**

ENG\_CVM\_CVM\_DSA001N00740001000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

958 Stecker 8-polig DSTA001NN00740001000 DE/EN

German

DSA001N00740001000

English

fuer Datenblaetter, die online konfigurierbar sind

German