



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	I	CREATE NEW PART	15JUN2018	AL	SZ






1. HOUSING: GLASS FILLED HIGH TEMP THERMO PLASTIC, COLOR: BLACK, UL 94 V-0 RATED  
SIGNAL CONTACT: COPPER ALLOY  
SIGNAL OVERMOLD: GLASS FILLED POLYESTER  
POWER CONTACT: COPPER ALLOY
2. CONTACT FINISH: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT, TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS

5. DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER
6. PC BOARD THICKNESS 1.4mm MIN, FOR WAVE SOLDER PC BOARD THICKNESS 2.62 MAX
7. SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
8. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR


9. UNPLATED HOLES
10. #4-40 UNC PAN HEAD SCREW WITH HEX NUT, NOT SHOWN, SUPPLIED BY CUSTOMER

60	25	9	4	47.94	51.74	25S X 10P	8-1926739-3
F PLC	E PLC	D SPACES	C SPACES	DIM B	DIM A	NO OF POSITIONS	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN ANDY LI 15JUN2018	TE Connectivity		
DIMENSIONS:				CHK SUNY ZHAO 15JUN2018			
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SUNY ZHAO 15JUN2018	NAME		
		0 PLC	±	PRODUCT SPEC	RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL		
		1 PLC	±	108-2325			
		2 PLC	±0.13	APPLICATION SPEC			
		3 PLC	±	114-13215			
MATERIAL		ANGLES	±	WEIGHT	SIZE	CAGE CODE	DRAWING NO
SEE NOTE 1		FINISH	SEE NOTE 2	CUSTOMER DRAWING	A100779	8-1926739-3	RESTRICTED TO
				SCALE	3:1	SHEET	1 OF 3
				REV	1		

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN. 15JUN2018		<div>TE Connectivity</div>
			CHK. 15JUN2018	NAME	
			SUNY_ZHAO	RECEPTACLE ASSEMBLY, RIGHT ANGLE,	
			SUNY_ZHAO 15JUN2018	PASSIVE GUIDE, SIGNAL/POWER,	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO. RESTRICTED TO
mm		0 PLC ±		108-2325	
		1 PLC ±0.13		APPLICATION SPEC	
		2 PLC ±		114-13215	
		3 PLC ±		WEIGHT	A100779C=8-1926739-3
		4 PLC ±		CUSTOMER DRAWING	
		ANGLES		SCALE 3:1	
		FINISH		SHEET 2 OF 3	
MATERIAL		SEE NOTE 2		REV 1	
SEE NOTE 1					



**TE** TE Connectivity

4805 (3/13)