

# VS-8-VS67-RJ45/4P-AWG26-OF/5,0 - Data cable



1689420

<https://www.phoenixcontact.com/us/products/1689420>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Assembled Ethernet cable, CAT5e, shielded, 2-pair, AWG 26 stranded (7-wire), line, RAL 5021 (water blue), RJ45/IP67 on RJ45, length: 5 m

## Commercial data

Item number	1689420
Packing unit	1 pc
Note	Made to order (non-returnable)
Sales key	NULL
Product key	ABNABE
GTIN	4017918893439
Weight per piece (including packing)	198.8 g
Weight per piece (excluding packing)	192.3 g
Customs tariff number	85444210
Country of origin	DE

# VS-8-VS67-RJ45/4P-AWG26-OF/5,0 - Data cable



1689420

<https://www.phoenixcontact.com/us/products/1689420>

## Technical data

### Product properties

Product type	Data cable preassembled
Sensor type	Ethernet
Number of positions	4
Shielded	yes

### Insulation characteristics

Overvoltage category	II
Degree of pollution	2

### Electrical properties

Rated voltage (III/3)	72 V (DC)
Transmission medium	Copper
Transmission characteristics (category)	CAT5 (IEC 11801:2002)

### Material specifications

Flammability rating according to UL 94	V0
--	----

### Connector

#### Connection 1

Type	Plug straight RJ45
Degree of protection	IP67

#### Connection 2

Type	Plug straight RJ45
Degree of protection	IP20

### Cable/line

Cable structure	4x2xAWG26/7; S-UTP
-----------------	--------------------


### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP20
	IP67
	IP67/IP20
Ambient temperature (operation)	-30 °C ... 80 °C (cable, fixed installation)
	-30 °C ... 80 °C (Cable, flexible installation)
	Plug / socket


## Drawings

Schematic diagram



Connector pin assignment plug RJ45

Dimensional drawing




RJ45 connector, IP67

# VS-8-VS67-RJ45/4P-AWG26-OF/5,0 - Data cable

1689420

<https://www.phoenixcontact.com/us/products/1689420>

Dimensional drawing



RJ45 connector, IP20

Environmental product compliance

China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)