

Han-Eco Modular Snap 24-HSE



Part number	09 33 024 0502
Specification	Han-Eco Modular Snap 24-HSE
HARTING eCatalogue	https://b2b.harting.com/09330240502

Identification

Category	Hoods/Housings
Series of hoods/housings	Han-Snap®
Type of hood/housing	Shell housing
Description of hood/housing	Rear mounting
Type	High construction

Version

Locking type	Double locking lever
Size	24 B
Version	Side entry
Cable entry	1x
Pack contents	Adapter frame is included within the delivery

Technical characteristics

Limiting temperature	-40 ... +125 °C
Mating cycles	≥500
Degree of protection acc. to IEC 60529	IP10

Material properties

Material (hood/housing)	Polyamide Fibre-glass reinforced
Colour (hood/housing)	RAL 9005 (jet black)
Material (locking)	Polyamide Fibre-glass reinforced
Colour (locking)	RAL 9005 (jet black)
Material flammability class acc. to UL 94	V-0
Material flammability class acc. to UL 94 (locking levers)	V-0
Length	121 mm



Pushing Performance

Material properties

Width	57 mm
Height	111 mm

Specifications and approvals

Specifications	IEC 61984
Railway classification	F2/I3 acc. to NFF 16-101/102

Commercial data

Packaging size	1
Net weight	190 g
Country of origin	Germany
Customs tariff number	85389099

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

09330240502