





36.6	34.85	31.2	29	52610-3075	30
34.6	32.85	29.2	27	-2875	28
32.6	30.85	27.2	25	-2675	26
31.6	29.85	26.2	24	-2575	25
30.6	28.85	25.2	23	-2475	24
28.6	26.85	23.2	21	-2275	22
26.6	24.85	21.2	19	-2075	20
25.6	23.85	20.2	18	-1975	19
23.6	21.85	18.2	16	-1775	17
22.6	20.85	17.2	15	-1675	16
20.6	18.85	15.2	13	-1475	14
18.6	16.85	13.2	11	-1275	12
17.6	15.85	12.2	10	-1175	11
16.6	14.85	11.2	9	-1075	10
15.6	13.85	10.2	8	-0975	9
14.6	12.85	9.2	7	-0875	8
13.6	11.85	8.2	6	-0775	7
12.6	10.85	7.2	5	52610-0675	6
D	(C)	B	(A)	MATERIAL. NO.	CKT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0°

4 PLACES ±

3 PLACES ±

2 PLACES ±

1 PLACE ±

0 PLACES ±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER ±0.2

10 OVER 30 UNDER ±0.25

30 OVER ±0.3

CURRENT REV DESC:

EC NO: 758488

DRWN: RAJMOK

CHK'D: HSHIMOYAMA

APPR: YNAITO

INITIAL REVISION:

DRWN: HSHIMABUKURO

APPR: MSASAO

THIRD ANGLE PROJECTION

DRAWING

SERIES

2023/07/27

2023/08/03

2004/03/30

2004/04/01

A3-SIZE

52610

moLEX

1.0 FPC CONN ZIF FOR SMT (ST) WITH TAPE -LEAD FREE-

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-52610-034

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

1 OF 2

DOC TYPE

PSD

DOC PART

001

REVISION

E


DOCUMENT STATUS

P1

RELEASE DATE



2023/08/03

11:20:31





注記(NOTES) □□

1. 材料(MATERIAL)
ハウジング (HOUSING) : 46NYLON , UL94V-0
アクチュエータ(ACTUATOR) : PPS , UL94V-0
ターミナル(TERMINAL) : リン青銅、ニッケル下地、**錫-ビスマスマッキ** (t0.32)
PHOS-BRO. **TIN-BISMUTH** OVER NICKEL PLATED ①
2. エンボステープ梱包時は、アクチュエータがロックした状態とする。
IN THE PACKAGE , ACTUATOR OF PART NO.52610-***59 SHOULD BE LOCKED.
- ③ ソルダータール半田付け面のズレ量は、基準面 **[F]** に対し上方向 0.05 MAX.
下方向 0.15 MAX.とする。
MISALIGNMENT OF SOLDER TAILS FROM **[F]** UPPER DIRECTION : 0.05 MAX.,
LOWER DIRECTION : 0.15 MAX.
- ④ 偶数極に適用。
APPLY FOR EVEN CIRCUIT.
5. 本製品は 52610-***57 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 52610-***57






GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				1.0 FPC CONN ZIF FOR SMT (ST)WITH TAPE -LEAD FREE-							
				ANGULAR TOL		± 3.0 °		PRODUCT CUSTOMER DRAWING			
				4 PLACES		±					
				3 PLACES		±					
2 PLACES		±		DOCUMENT NUMBER SD-52610-034							
1 PLACE		±									
0 PLACES		±									
EC NO: 758488 DRWN: RAJMOK CHK'D: HSHIMOYAMA APPR: YNAITO				2023/07/27				DOC TYPE		DOC PART	
				2023/08/03				REVISION			
INITIAL REVISION: DRWN: HSHIMABUKURO APPR: MSAAO				2004/03/30 2004/04/01				PSD		001	
E								E			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		52610		SEE SHEET-1	
								GENERAL MARKET		SHEET NUMBER	
										2 OF 2	




	24	29.4	25.4	15.25	11.32	526 10-1075	10
				14.25	10.32	526 10-0975	9
				13.25	9.32	526 10-0875	8
				12.25	8.32	526 10-0775	7
				11.25	7.32	526 10-0675	6
526 10-**75	キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.
MODEL. NO.							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS mm		SCALE NTS		1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± °		PRODUCT CUSTOMER DRAWING			
10 ^{UNDER}		±0.2		DOCUMENT NUMBER			
10 ^{OVER} 30 ^{UNDER}		±0.25		SD-52610-035			
30 ^{OVER}		±0.3		PSD 001 C			
ANGULAR		±3 °		SHEET NUMBER			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		SEE TABLE			
		DRAWING		GENERAL MARKET			
		SERIES		2 OF 5			
		A3-SIZE					
		52610					



	44	49.4	45.4	31.25	27.32	52610-2675	26
				30.25	26.32	52610-2575	25
				29.25	25.32	52610-2475	24
				27.25	23.32	52610-2275	22
				25.25	21.32	52610-2075	20
				24.25	20.32	52610-1975	19
				22.25	18.32	52610-1775	17
				21.25	17.32	52610-1675	16
52610-**75	キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.
MODEL. NO.							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 719890 DRWN: NARENC CHK'D: SMARUYAMA APPR: YNAITO		1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
10 ^{UNDER}		±0.2		PRODUCT CUSTOMER DRAWING			
10 ^{OVER} 30 ^{UNDER}		±0.25		DOCUMENT NUMBER		DOC TYPE	DOC PART
30 ^{OVER}		±0.3		SD-52610-035		PSD	001
ANGULAR		±3 °		MATERIAL NUMBER		CUSTOMER	
				SEE TABLE		GENERAL MARKET	
				A3-SIZE		SHEET NUMBER	
				52610		4 OF 5	



	56	61.4	57.4	35.25	31.32	52610-3075	30
52610-**-75				33.25	29.32	52610-2875	28
MODEL. NO.	CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.

GENERAL TOLERANCES (UNLESS SPECIFIED)				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
				CURRENT REV DESC:		
10 ^{UNDER}		±0.2	mm NTS GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± ° 3 PLACES ± ° 2 PLACES ± ° 1 PLACE ± ° 0 PLACES ± ° EC NO: 719890 DRWN: NARENC CHK'D: SMARUYAMA APPR: YNAITO INITIAL REVISION: DRWN: HSHIMABUKURO APPR: MSASAO 2022/08/26 2022/09/05 2022/09/05		molex	
10 ^{OVER} 30 ^{UNDER}		1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-				
30 ^{OVER}		±0.3			PRODUCT CUSTOMER DRAWING	
ANGULAR		±3 °			DOCUMENT NUMBER	
					SD-52610-035	
			DOC TYPE			
			PSD			
			DOC PART			
			001			
			REVISION			
			C			
			MATERIAL NUMBER			
			SEE TABLE			
			CUSTOMER			
			GENERAL MARKET			
			SHEET NUMBER			
			5 OF 5			

DOCUMENT STATUS	P1	RELEASE DATE	2022/09/05	05:51:53
-----------------	----	--------------	------------	----------