

# UBE/D + ES/KMK 3 - Marker carriers



1004076

<https://www.phoenixcontact.com/us/products/1004076>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker carriers, for identifying terminal groups, for mounting on the NS 32 or NS 35/7,5 terminal strip, gray, unlabeled, mounting type: latching, lettering field size: 40 x 17 mm

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1004076       |
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 10 pc         |
| Sales key                            | BG12          |
| Product key                          | BG211A        |
| GTIN                                 | 4017918011888 |
| Weight per piece (including packing) | 10.31 g       |
| Weight per piece (excluding packing) | 10.09 g       |
| Customs tariff number                | 39269097      |
| Country of origin                    | PL            |

# UBE/D + ES/KMK 3 - Marker carriers



1004076

<https://www.phoenixcontact.com/us/products/1004076>

## Technical data

### Product properties

|                        |                 |
|------------------------|-----------------|
| Product type           | Marker carriers |
| Data management status |                 |
| Article revision       | 02              |

### Dimensions

|                   |          |
|-------------------|----------|
| Width             | 20 mm    |
| Text field width  | 40.00 mm |
| Height            | 51.5 mm  |
| Height NS 35/7,5  | 51.5 mm  |
| Text field height | 17.00 mm |
| Length            | 42.5 mm  |

### Material specifications

|                                        |                                |
|----------------------------------------|--------------------------------|
| Color                                  | gray (RAL 7042)                |
| Flammability rating according to UL 94 | V2                             |
| Base element material                  | PA                             |
| Components                             | free from silicone and halogen |

### Environmental and real-life conditions

|                                                     |                   |
|-----------------------------------------------------|-------------------|
| Ambient conditions                                  |                   |
| Ambient temperature (operation)                     | -40 °C ... 100 °C |
| Recommended ambient temperature (storage/transport) | 23 °C             |
| Recommended humidity (storage/transport)            | 50 %              |

### Mounting

|               |          |
|---------------|----------|
| Mounting type | latching |
|---------------|----------|

# UBE/D + ES/KMK 3 - Marker carriers



1004076

<https://www.phoenixcontact.com/us/products/1004076>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27281105 |
| ECLASS-12.0 | 27281105 |
| ECLASS-13.0 | 27281105 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002248 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# UBE/D + ES/KMK 3 - Marker carriers



1004076  
<https://www.phoenixcontact.com/us/products/1004076>

## Environmental product compliance

|                                         |                            |
|-----------------------------------------|----------------------------|
| EU RoHS                                 |                            |
| Fulfills EU RoHS substance requirements | Yes, No exemptions         |
| EU REACH SVHC                           |                            |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt% |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)