



Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Board, Wire-to-Wire**
Number of Positions: **10**
Connector & Housing Type: **Housing for Female Terminals**
Centerline (Pitch): **2.54 mm, 5.2 mm [.1 in, .205 in]**
Sealable: **No**

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Wire-to-Board, Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal

Configuration Features

Number of Positions	10
Number of Rows	3

Electrical Characteristics

Operating Voltage	14 VDC
Nominal Voltage Architecture	12 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral

Contact Features



Contact Size	1.2mm, 2.8mm
Contact Type	Receptacle
Mating Tab Width	1.2 mm, 2.8 mm[.047 in][.11 in]
Contact Current Rating (Max)	12 A, 35 A

Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	2.54 mm, 5.2 mm[.1 in][.205 in]

Dimensions

Row-to-Row Spacing	4.24 mm[.167 in]
--------------------	------------------

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Packaging Features

Packaging Quantity	1500
Packaging Method	Box & Carton

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
Candidate List Declared Against: JUNE 2024 (241)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-M4595-T273
MCON Receptacle and Tab

TE Part # 1563125-1
10POS, MIXED,TAB HSG

TE Part # 1563124-1
2. LOCK,10 POS FEM HOUSING

Also in the Series | MCON Interconnection System

Automotive Connector Caps & Covers (36)

Automotive Connector Locks & Position Assurance(15)

Automotive Housings(119)

Automotive Terminals(26)




Connector Seals & Cavity Plugs(9)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(4)



PCB Headers & Receptacles(4)

Customers Also Bought



TE Part #2208340-1
14POS,NANOMQS,REC HSG,CODA



TE Part #1241388-1
AMP MCP 2.8K, CONTACT



TE Part #7-1452656-2
MCON Receptacle and Tab



TE Part #2-2141876-1
TAB A 2.8x0.8 CONTACT CF SWS Sn



TE Part #5-1241608-1
MQS1,5 Sn rec CB unseal. 0,75-1,5



TE Part #1456983-5
1X4 Fem unsealed LP assy Key C



TE Part #1-1801466-1
COVER, FIXED, 2 WAY HP CONNECTOR



TE Part #1-969489-2
6POS MQS REC COD A



TE Part #346102-2
RING TONGUE 0.5-1.0 MM2 0.6 X 15.2 CUSN

Documents

Product Drawings
10POS, MIXED,REC HSG
English

CAD Files
Customer View Model
ENG_CVM_CVM_1563123-1_A.2d_dxf.zip
English
3D PDF



3D

Customer View Model

[ENG_CVM_CVM_1563123-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1563123-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English