

Part Number: 16020081

Product Description: SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 24-22 AWG, Reel

Status: Active

Engineering Number: 70021-0023

Series Number: 70021

Product Category: Crimp Terminals
Packaging Alternative: 16020115 (Bag)

Documents & Resources

Drawings

Drawing 016020081_sd.pdf

Specifications

Product Specification PS-70021-001.pdf Product Specification PS-70400-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44; 34; 33
China RoHS	•
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Crimp Terminals
Series	70021
Description	SL Crimp Terminal, Series 70021, Male, with 0.38µm Selective Gold (Au) Plated Contact, 24-22 AWG, Reel
Application	Signal, Wire-to-Wire
Product Family	SL Modular Connectors
Product Name	SL
UPC	800753595989

Physical

Gender	Male
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Net Weight	0.092/g
Packaging Type	Reel
Plating min - Mating	0.381µm
Plating min - Termination	1.905µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.63mm max.
Wire Size (AWG)	22, 24
Wire Size mm²	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Use with Part(s)

Description	Part Number
-------------	-------------

SL Single Row Crimp Housings and CPA Retainers	70066
SL Single Row Crimp Housings	<u>70107</u>

Application Tooling

Global

Description	Part Number
Insertion Tool for 70021,70028, 70110, 71851 Terminals / Extraction Tool for 91821 Terminals	11020022
PremiumGrade Hand Crimp Tool for SL Crimp Terminals, 24-22 AWG and 36-32 AWG	<u>638118700</u>
FineAdjust Applicator for Crimp Terminal, Male, 22 AWG Wire	<u>639014600</u>
FineAdjust Applicator for SL Terminals, for 24-22 AWG Wire with Insulation Diameter 1.25-1.45mm	<u>639027800</u>
T2 Terminator for SL Crimp Terminal	639127800

Application Tooling

Japan

Description	Part Number
Hand Insertion Tool	570336000

This document was generated on Sep 15, 2024