# 2178410-1 ACTIVE

#### **CROWN CLIP**

TE Internal #: 2178410-1

Board-to-Bus Bar, 2 Position, Printed Circuit Board, Black, Tray, Right Angle, Copper Alloy, Hot Pluggable, Power, Board Mount,

Busbar Connectors

View on TE.com >




Connectors > Power Connectors > Busbar Connectors











Connector System: Board-to-Bus Bar

Number of Positions: 2

Connector & Contact Terminates To: Printed Circuit Board

Mating Conductor Thickness: 3 mm [.118 in]

Housing Color: Black

#### **Features**

### **Product Type Features**

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Printed Circuit Board

### **Configuration Features**

Number of Positions	2
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable

#### **Body Features**

Bus Bar Contact Plating Material	Tin
----------------------------------	-----

#### **Contact Features**

Mating Tab Width	14.95 mm[.588 in]
Mating Tab Thickness	3 mm[.118 in]
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	170 A



Contact Length	28.1 mm[1.106 in]
Bus Bar Contact Style	Socket
Termination Features	
Termination Method to PCB	Through Hole - Solder
Mechanical Attachment	
Mating Alignment	Without
Bus Bar Connector Mounting Retention	Without
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Method	Tray
Other	

## **Product Compliance**

Mating Conductor Thickness

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 260°C

3 mm[.118 in]

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



## Customers Also Bought



















TE Part #8-292129-2 SGL HDR ASSY BOX DIP H W/KINK

#### **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2178410-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2178410-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2178410-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

#### Datasheets & Catalog Pages

**Busbar Power Brochure** 

English

**Product Specifications** 

**Application Specification** 

English

Agency Approvals

**UL Report** 

English