



Part Number : 1300830786

Series Number : 130083  
Product Category : Electrical Reels

Product Description : Woodhead POW-R-MITE Industrial Duty Cable Reel, 12/3 SOW, 15.24m (50.0') Cord Length with 15A GFCI Pendant Outlet Box and Ball Stop  
Status : Active  
Engineering Number : 92433-3070G

Documents & Resources

Drawings  
Drawing 1300830786\_sd.pdf

Product Environment Compliance

Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

|        |        |
|--------|--------|
| Status | Active |
|--------|--------|

|                    |                                                                                                                                     |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Category           | Electrical Reels                                                                                                                    |
| Series             | 130083                                                                                                                              |
| Description        | Woodhead POW-R-MITE Industrial Duty Cable Reel, 12/3 SOW, 15.24m (50.0') Cord Length with 15A GFCI Pendant Outlet Box and Ball Stop |
| Comments           | Applications: Vertical Lift, Drag, Recovery and Horizontal Stretch with 10% Sag.                                                    |
| Enclosure Rating   | NEMA 4                                                                                                                              |
| NEMA Configuration | NEMA 5-15                                                                                                                           |
| Product Family     | Reels - Woodhead                                                                                                                    |
| Product Name       | POW-R-MITE                                                                                                                          |
| Type               | Cable Reel                                                                                                                          |
| UPC                | 78678835101                                                                                                                         |

## Electrical

|                               |       |
|-------------------------------|-------|
| Current - Maximum per Contact | 18.0A |
| GFCI                          | Yes   |
| Lamp Wattage - Maximum        | N/A   |
| On/Off Switch                 | N/A   |
| Voltage - Maximum             | 120V  |

## Physical

|                    |                             |
|--------------------|-----------------------------|
| Bulb Included      | N/A                         |
| Cable Length       | N/A                         |
| Cable Movement     | Ratchet Lock                |
| Cord Length        | 15.24m (50.0')              |
| Cord Type          | 12/3 SOW                    |
| Depth              | 0.34m (13.50")              |
| Drum Lock          | Ratchet                     |
| Duty               | Industrial                  |
| Guide Arm          | 5° increments over 270° Arc |
| Height             | 0.37m (14.50")              |
| Lamp Type          | N/A                         |
| Material - Coating | Powder Coating              |
| Material - Housing | Cast Aluminum               |

|                          |                   |
|--------------------------|-------------------|
| Mounting Style           | Rigid             |
| Number of Conductors     | 3                 |
| Number of Receptacles    | 2                 |
| Packaging Type           | Carton            |
| Primary Cord/Cable Entry | 1" NPT            |
| Retraction Weight        | 1.8kg (4.0 lb)    |
| Width                    | 244.35mm (9.620") |
| Wire Size (AWG)          | 12                |