




注記

NOTES

1. 使用材料
MATERIAL
ハウジング
HOUSING : 46ナイロン, UL94V-0
: 46NYLON
アクチュエーター
ACTUATOR : PPS, UL94V-0
: PPS
ターミナル
TERMINAL : リン青銅 (t=0.2)、錫・ピスマスメッキ 1.0~3.0 MICRO METER MIN.
: ニッケル下地 1.0~3.0 MICRO METER MIN.
: PHOS-BRO, TIN-BISMUTH-PLATE 1.0~3.0 MICRO METER MIN.
OVER NICKEL 1.0~3.0 MICRO METER MIN.
金具
FITTING NAIL : リン青銅 (t=0.2)、錫メッキ 1.0~3.0 MICRO METER MIN.
: ニッケル下地 1.0~3.0 MICRO METER MIN.
: PHOS-BRO, TIN-PLATE 1.0~3.0 MICRO METER MIN.
OVER NICKEL 1.0~3.0 MICRO METER MIN.


2. インボステープ梱包時は、アクチュエーターがロックした状態とする。
IN THE PACKAGE, ACTUATOR OF PART NO.54132-***31
SHOULD BE LOCKED.



- ③ ソルダーテール半田付け面のズレ量、及び金具半田付け面のズレ量は、
基準面 [H] に対し上方向0.1MAX.、下方向0.15MAX.とする。
MISALIGNMENT OF SOLDER TAILS AND FITTING NAIL FROM [H]
UPPER DIRECTION:0.1MAX., LOWER DIRECTION:0.15MAX.
- ④ 偶数極に適用
APPLY FOR EVEN CIRCUIT.
- ⑤ パターンはくり止め用金具
FITTING NAIL FOR PREVENTION OF PEELING
OF P.C.B. PATTERN.
6. 本製品は54132-***31の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 54132-***31


GENERAL TOLERANCES
(UNLESS SPECIFIED)

10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR	±3°

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±				EC NO: 758488				0.5 FPC CONN ZIF HOUSING ASSY FOR SMT -LEAD FREE-	
				DRWN: RAJMOK					
				2023/07/26					
				CHK'D: HSHIMOYAMA				2023/08/03	
				APPR: YNAITO				2023/08/03	
INITIAL REVISION:				PRODUCT CUSTOMER DRAWING				DOCUMENT NUMBER	
DRWN: MNABEI				2003/12/16				SD-54132-060	
APPR: MSASAO				2003/12/17				DOCTYPE	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		DOC PART	
						A3-SIZE		001	
				SERIES		MATERIAL NUMBER		REVISION	
				54132		SEE TABLE		D	
				SHEET NUMBER		CUSTOMER		SHEET NUMBER	
				1 OF 2		GENERAL MARKET		1 OF 2	





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± ° 3 PLACES ± ° 2 PLACES ± ° 1 PLACE ± ° 0 PLACES ± ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 719890				2022/08/22									
				DRWN: NARENC				2022/09/05									
				CHK'D: SMARUYAMA				2022/09/05									
				APPR: YNAITO				2022/09/05									
				INITIAL REVISION:													
				DRWN: MNABEI				2003/12/16									
APPR: MSASAO				2003/12/17				EMBOSSED TAPE PACKAGE FOR 0.5 FPC CONN.ZIF -LEAD FREE-									
PRODUCT CUSTOMER DRAWING								DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
								SD-54132-061				PSD		001		B	
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER				CUSTOMER				SHEET NUMBER	
				A3-SIZE		54132		SEE TABLE				GENERAL MARKET				2 OF 2	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR	±3 °