



auxiliary switch 1 CO for cylindrical fuse base size 14x 51 mm for displaying the switching state of fuses with striker indicator

Model			
product brand name		SETRON	
product designation		auxiliary switches	
design of the product		striker fuses	
design of the product factory mounted		No	
Supply voltage			
operating voltage		250 V	
● rated value			
Breaking Capacity			
switching capacity current rated value		5 A	
Control current			
type of voltage of control voltage		AC	
Product details			
number of fault signal contacts		0	
number of NC contacts		0	
number of NO contacts		0	
number of CO contacts		1	
product extension can be mounted		others	
product extension		Auxiliary current switch	
Mechanical Design			
height		83 mm	
width		9 mm	
depth		64 mm	
number of modular width units		1	
net weight		52 g	
Approvals Certificates			
General Product Approval		Test Certificates	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

other	Environment
Miscellaneous	Environmental Con- firmations

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7901>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7901>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7901


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

6/15/2024 

