TE Internal #: 41808

Closed Ring Tongue Terminal, 10 – 8 AWG, #10 Stud Size, 5 mm [.

19 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 10382 – 16507 CMA

Stud Size: #10

Features

Product Type Features

Shape Description	D Shaped
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	4.304 g
Contact Features	
Contact Base Material	Copper
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
	.22 in
Wire Size	10382 – 16507 CMA
Stud Diameter	5 mm[.19 in]
Tongue Thickness	1.27 mm[.05 in]
Product Length	28.19 mm[1.11 in]
Barrel Inside Diameter	3.55 mm, 4.57 mm[.13 in][.27 in]
Compatible Insulation Diameter (Max)	8 mm[.315 in]
Compatible Insulation Diameter Range	5.59 – 8 mm[.22 – .315 in]
Usage Conditions	
Usage Conditions Insulation Option	Uninsulated
	Uninsulated -40 – 110 °C[-40 – 230 °F]
Insulation Option	
Insulation Option Operating Temperature Range	
Insulation Option Operating Temperature Range Operation/Application	-40 – 110 °C[-40 – 230 °F]
Insulation Option Operating Temperature Range Operation/Application Compatible With Wire Base Material	-40 – 110 °C[-40 – 230 °F]
Insulation Option Operating Temperature Range Operation/Application Compatible With Wire Base Material Industry Standards	-40 – 110 °C[-40 – 230 °F] Copper
Insulation Option Operating Temperature Range Operation/Application Compatible With Wire Base Material Industry Standards Government Qualified Terminal	-40 – 110 °C[-40 – 230 °F] Copper

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2150472-2 OCEAN_2.0_APPLICATOR-E-250F375O-SEA



Customers Also Bought



TE Part #1971778-3 PTL TPA HIGH TEMP 2 x 3 BLACK



TE Part #5-1971875-3
PTL 3X3 CAP PANEL MT HITEMP KEY
A LGR




TE Part #60196-2 187 FASTON REC 20-16 AWG TPBR



TE Part #63963-1 250 FASTON FLAG REC 18-14 AWG NPST



250 FASTON REC 16-12 AWG TPBR



TE Part #F82626-000 SCT-NO.2-E5-0-40MM



TE Part #1969507-2 250 FASTON HSG.,FLAG,REC.,1 POS, NATRUAL



TE Part #60487-1 187 FASTON REC 18-16 AWG BR



TE Part #1-521204-7
HSG, POS LOCK, .250 SERIES, 2
POSITION

Documents

Product Drawings

RING TERMINAL 10-8 AWG TPCU

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_41808_V_c-41808-v.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_41808_V_c-41808-v.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_41808_V_c-41808-v.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Engineering Report

English