



Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 2

Connector & Housing Type: Plug

Centerline (Pitch): 5.6 mm [.22 in]

Sealable: Yes

Mating Tab Width: 2.3 mm [.09 in]

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector & Housing Type	Plug
Sealable	Yes
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	2
Number of Rows	1

Body Features

Primary Product Color	Ivory
-----------------------	-------

Contact Features

Mating Tab Width	2.3 mm[.09 in]
------------------	----------------

Housing Features

Centerline (Pitch)	5.6 mm[.22 in]
--------------------	----------------

Usage Conditions

--	--



Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Other

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Customers Also Bought

TE Part #1897009-2
MT-2/JPT SLD 26P PLUG ASSY TYPE A

TE Part #1-1813099-3
2.5mm SOCKET HSG ASSEMBLY (BLACK 2POS)

TE Part #936209-1
MULTILOCK, CONNECTOR HOUSING

TE Part #2137216-1
3P SPLASH PROOF CONNECTOR ASS'

TE Part #2327104-4
CVTY PLUG,AMP 0.64,CVTY DIA,0.78, BLK

TE Part #2435207-1
MINI MIC,TERMINAL

TE Part #2434996-1
AMP SUPERSEAL 1.5 SERIES 2P CA, CONN KIT

TE Part #2434841-1
MCON 1.2,TERMINAL,CB,SRC,SN

TE Part #2435187-3
JPT,TERMINAL,REC 2.8 SRC SN

Documents

Product Drawings

BULB CONN 2P PLUG ASSY IVORY

English

CAD Files

Customer View Model

ENG_CVM_936184-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_936184-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_936184-1_A.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

936184-1

Plug, 2 Position, 5.6 mm [.22 in] Centerline, Sealable, Ivory, -30 – 105 °C [-22 – 221 °F]

