

#### NanoMQS | Nano MQS

TE Internal #: 2141467-2

Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 2 Position, 1.8 mm [.07 in] Centerline, Sealable, Gray,

Nano MQS

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 1.8 mm [ .07 in ]

Sealable: Yes

### All MQS, CONNECTOR HOUSING (351)

## **Features**

## **Product Type Features**

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Board, Wire-to-Device, Wire-to- Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Nominal Voltage Architecture	12 V, 14 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Gray
Connector & Keying Code	В



#### **Contact Features**

Contact Size	.5mm
Contact Type	Receptacle
Mating Tab Width	.5 mm[.019 in]
Contact Current Rating (Max)	3 A

#### Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

## **Housing Features**

Housing Material	PBT GF
Centerline (Pitch)	1.8 mm[.07 in]

#### **Dimensions**

Connector Height	8.2 mm[.323 in]
Product Width	22.05 mm[.868 in]
Product Length	7.6 mm[.299 in]

## **Usage Conditions**

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

## Operation/Application

Circuit Application	Signal	

## **Industry Standards**

Degree of Protection	IPX9K
UL Flammability Rating	UL 94HB

## **Packaging Features**

Packaging Quantity	1000
Packaging Method	Box

## Other

Serviceable	No	
-------------	----	--



Connector Position Assurance Capable

No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





Also in the Series | Nano MQS





Automotive Housings(55)



Automotive Terminals(8)



Insertion & Extraction Tools(6)



PCB Headers & Receptacles(20)

# Customers Also Bought



TE Part #DTP06-2S-E004 PLG, 2P, BLK, N



TE Part #HDP26-24-31SE-L017 PLG, 31P, BLK, E, RNG, 16, S




TE Part #DTHD06-1-8S-E003 PLG, 1P, BLK, N, SIZE 8, CAP



TE Part #5745171-1 SIZE 1 ASSY KIT .250



TE Part #350779-4 04P UMNL PLUG HSG UL94VO



TE Part #1745022-1 SUPERSEAL 2 POS. TAB HOUSING (CLOSED CAV



TE Part #2141466-1 4POS,NANOMQS,SOCK HSG,ASSY, SEALED,CODA



TE Part #2-1703930-1
NANOMQS, RECEPTACLE TERMINAL





## **Documents**

## **Product Drawings**

2POS,NANOMQS,SOCK HSG,ASSY,SEALED,CODB

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2141467-2\_B.2d\_dxf.zip

English

3D PDF



3D

**Customer View Model** 

ENG\_CVM\_CVM\_2141467-2\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2141467-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English

**Application Specification** 

German

**Application Specification** 

German

**Application Specification** 

German