




Part Number : [5601220102](#)
Product Description : CTX-J 280 Female
Terminal, Tin Plated, 2.00-2.50mm² Wire Size
Series Number : 560122
Status : Active
Product Category : Crimp Terminals



Documents & Resources

Drawings

[5601220102_sd.pdf](#)
[PK-560122-001-001.pdf](#)

Specifications

[5601220001-AS-CH-000.pdf](#)
[AS-560122-001-001.pdf](#)
[5601510002-CN-001.pdf](#)
[AS-560151-001-JP-001.pdf](#)

Tooling Specifications

[ATS-638247800-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44; 34
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	560122
Description	CTX-J 280 Female Terminal, Tin Plated, 2.00-2.50mm ² Wire Size
Application	Automotive, Signal, Wire-to-Board
Product Name	Compactus,CTX-J 280
UPC	887191426846

Electrical

Current - Maximum per Contact	15.0A
Voltage - Maximum	250V

Physical

Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.510/g
Packaging Type	Reel
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	N/A
Wire Size (AWG)	N/A
Wire Size mm ²	2.00-2.50

Application Tooling

Global

Description	Part Number
Hand Crimp Tool for CTX-J 280 Receptacle Terminal Sealed, 2.00mm ² Wire	<u>2002182500</u>
Extractor Tool for CTX-J 280 Receptacle Crimp Terminal for Compactus Connector	<u>638247800</u>

Application Tooling

Japan

Description	Part Number
S-1 Applicator for CTX-J 280 Receptacle Terminals	<u>5781383700</u>