










10		9		8		7		6		5		4		3		2		1	
PART NUMBER		CKTS	QUANTITY PER BAG	BAGS PER CARTON	PARTS PER CARTON (SPQ)	MOISTURIZATION METHOD 		PANEL LOCK		 BUBBLE PAPER: 88596-1546  BAG: 96713-0003 (DETAILS REFER TO SHEET 2)  INNER CARTON 313005940 OR 885961537 2CELL DIVIDER QTY(2)  BUBBLE PAPER: 88596-1546  CARTON: 88596-1483									
215922-02*1		2	3000	4	12000	NO MOISTURIZATION		WITHOUT											
215922-04*1		4	2600	4	10400														
215922-06*1		6	2000	4	8000														
215922-08*1		8	1700	4	6800														
215922-10*1		10	1400	4	5600														
215922-12*1		12	1000	4	4000														
215922-1401		14	800	4	3200														
215922-1601		16	800	4	3200														
215922-1801		18	600	4	2400														
215922-2001		20	600	4	2400														
215922-2201		22	600	4	2400	SEE SHEET 2		WITH											
215922-2401		24	450	4	1800														
215922-02*0		2	2000	4	8000														
215922-04*0		4	1800	4	7200														
215922-06*0		6	1600	4	6400														
215922-08*0		8	1100	4	4400														
215922-10*0		10	1000	4	4000														
215922-12*0		12	900	4	3600														
215922-1400		14	800	4	3200														
215922-1600		16	700	4	2800														
215922-1800		18	600	4	2400														
215922-2000		20	600	4	2400														
215922-2200		22	400	4	1600														
215922-2400		24	350	4	1400														
TBD: NO PRODUCTION, TO BE ADDED AFTER BEING PRODUCED.																			
NOTES:																			
 1. MOISTURIZATION METHOD DESCRIPTIONG REFER TO SHEET 2. 2. STANDARD PAKAGE QUANTITY(SPQ) SEE ABOVE CHART. 3. PACKAGE WAY FOLOW RIGHT ILLUSTRATION. 4. ALL PAKAGE MATERIAL AND PRODUCT COMPLIANT TO RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EV.																			
DOCUMENT STATUS																			
P1																			
RELEASE DATE																			
2023/07/19 06:20:25																			
10		9		8		7		6		5		4		3		2		1	

FUNCTIONAL SYMBOLS  = 0  = 0  = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	SCALE 1:1	CURRENT REV DESC:						
	mm								
	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 736922 DRWN: VENKAS5 2023/01/18 CHK'D: VENKAS5 2023/02/03 APPR: MRAMAKRISHNA 2023/02/03 INITIAL REVISION: DRWN: GLLI 2021/10/28 APPR: XQZHANG 2021/11/15			PACKING SPEC FOR MICRO-FIT PLUS WTW HSG			
	ANGULAR TOL	± °				PRODUCT CUSTOMER DRAWING			
	4 PLACES	±				DOCUMENT NUMBER			
	3 PLACES	± 0.1				2159220000-PK			
	2 PLACES	± 0.3				DOC TYPE			
	1 PLACE	± 0.5				PSD			
	0 PLACES	±				000			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION 	DRAWING A3-SIZE	SERIES 215922	MATERIAL NUMBER	CUSTOMER			SHEET NUMBER 1 OF 2



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	DIMENSION UNITS	SCALE
= 0	mm	1:1
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
= 0		
DIVISIONAL SYMBOLS	ANGULAR TOL	± °
	4 PLACES	±
	3 PLACES	± 0.1
	2 PLACES	± 0.3
	1 PLACE	± 0.5
	0 PLACES	±
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
CURRENT REV DESC:		
EC NO: 736922		
DRWN: VENKAS5		2023/01/18
CHK'D: VENKAS5		2023/02/03
APPR: MRAMAKRISHNA		2023/02/03
INITIAL REVISION:		
DRWN: GLLI		2021/10/28
APPR: XQZHANG		2021/11/15
THIRD ANGLE PROJECTION		
DRAWING		
SERIES		
MATERIAL NUMBER		
CUSTOMER		
SHEET NUMBER		

FREE HANGING PLUG PARTS





DIM'A'	DIM'B'	CKT SIZE
3.85	5.45	2
6.85	8.45	4
9.85	11.45	6
12.85	14.45	8
15.85	17.45	10
18.85	20.45	12
21.85	23.45	14
24.85	26.45	16
27.85	29.45	18
30.85	32.45	20
33.85	35.45	22
36.85	38.45	24

- NOTES:
- 1. MATERIAL: PA66, 94V-0, COLOR : SEE TABLE IN SHEET 5
 - 2. PRODUCT SPECIFICATION: 2159530000-PS.
 - 3. PACKAGE SPECIFICATION: 2159220000-PK.
 - 4. TO USE WITH TERMINAL OF 2015953-****.
 - 5. TO USE WITH TPA OF 206462-****.
 - 6. TO MATE WITH RECEPTACLE OF 206461-****.
 - 7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
= 0 = 0 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex					
	mm		1:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)									PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR					
ANGULAR TOL ± °															
DIVISIONAL SYMBOLS	4 PLACES		±		EC NO: 760703					PRODUCT CUSTOMER DRAWING					
	3 PLACES		±		DRWN: VENKAS5 2023/02/28										
	2 PLACES		± 0.2		CHK'D: VENKAS5 2023/08/24										
	1 PLACE		± 0.3		APPR: MRAMAKRISHNA 2023/08/24										
	0 PLACES		±		INITIAL REVISION:					DOCUMENT NUMBER				DOC TYPE	DOC PART
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		2159220000-SD		PSD	000	B	
						A3-SIZE		215922		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
												GENERAL MARKET		1 OF 6	































FORMAT: master-tb-prod-A
REVISION: J1



PANEL MOUNT PLUG PARTS



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
FA= 0 FE= 0 FV= 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex							
	mm		1:1														
	GENERAL TOLERANCES (UNLESS SPECIFIED)									EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24					PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR		
ANGULAR TOL ± °																	
DIVISIONAL SYMBOLS	4 PLACES ±				INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15										DOCUMENT NUMBER 2159220000-SD		DOC TYPE PSD
	3 PLACES ±																
	2 PLACES ± 0.2																
	1 PLACE ± 0.3																
	0 PLACES ±																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		215922				GENERAL MARKET		4 OF 6			

[illegible]

	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
H	CKT	POLARIZATION "A"- BLACK	POLARIZATION "B" - NATURAL	POLARIZATION "C" - RED	POLARIZATION "D" - BLUE	POLARIZATION "E" - YELLOW	B								
	2														
G	4														
	6														
F	8														
	10														
E	12														
D															
C															
B															
A															

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
 = 0  = 0  = 0	DIMENSION UNITS	SCALE	CURRENT REV DESC:															
	mm	3:1																
	GENERAL TOLERANCES (UNLESS SPECIFIED)																	
	ANGULAR TOL	± °	EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24 INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15															
	4 PLACES	±																
	3 PLACES	±																
	2 PLACES	± 0.2																
	1 PLACE	± 0.3																
DIVISIONAL SYMBOLS	0 PLACES	±	THIRD ANGLE PROJECTION DRAWING SERIES A2-SIZE 215922															
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																	
DOCUMENT STATUS			P1	RELEASE DATE	2023/03/06	08:44:47	SEE CHART IN LAST SHEET								GENERAL MARKET		SHEET NUMBER 6 OF 6	

	13	12	11	10	9	8	7	6	5	4	3	2	1
--	----	----	----	----	---	---	---	---	---	---	---	---	---