# molex

Part Number: 512381211

Product Description: CRC Shielded Rectangular I/O Receptacle Housing for Female Terminal, Signal, 12 Circuits, Polarization Type Standard

Series Number: 51238

Status: Active

**Product Category: I/O Connectors** 



#### **Documents & Resources**

#### **Drawings**

512381211\_sd.pdf

#### 3D Models and Design Files

512381211\_stp.zip

#### **Specifications**

AS-51238-011-001.pdf

PS-51238-010-001.pdf

PS-51238-018-001.pdf

## **Product Environment Compliance**

## Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# EU RoHS Certificate of Compliance

## **Part Details**

#### General

Status	Active
Category	I/O Connectors
Series	51238
Description	CRC Shielded Rectangular I/O Receptacle Housing for Female Terminal, Signal, 12 Circuits, Polarization Type Standard
Application	Panel-Mount, Wire-to-Wire
Component Type	Housing
Product Name	CRC
Туре	N/A
UPC	800756205755

# Agency

CSA	LR19980
UL	E29179

## Electrical

Current - Maximum per Contact	1.0A, 2.0A, 3.0A, 4.0A
Shielded	No
Voltage - Maximum	250V AC (RMS)/DC

# Physical

Circuits (Loaded)	12
Circuits (maximum)	12
Color - Resin	Black
Durability (mating cycles max)	100

Flammability	94V-0
Gender	Receptacle
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Stainless Steel
Material - Plating Mating	N/A
Material - Resin	Polyester
Net Weight	2776.800/mg
Number of Rows	4
Orientation	Vertical
Packaging Type	Tray
Panel Mount	Front, Rear
PCB Locator	No
Pitch - Mating Interface	3.00mm
Pitch - Termination Interface	3.00mm
Polarized to Mating Part	Yes
Polarized to PCB	N/A
Temperature Range - Operating	-40° to +105°C
Termination Interface Style	N/A
Waterproof / Dustproof	No

# Mates With / Use With

# Mates with Part(s)

Description	Part Number
CRC Shielded Rectangular I/O Plug Housings	<u>51234</u>
CRC Shielded Rectangular I/O Plug Assembly Sets	<u>55836</u>

# Use with Part(s)

Description	Part Number
CRC Signal Female Terminals	<u>56120</u>
CRC Signal Female Terminals	<u>56121</u>
CRC Shielded Rectangular I/O Receptacle Shells	<u>56377</u>

This document was generated on Oct 25, 2024