

|   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
| 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
|---|---|---|---|---|---|---|---|---|



## D

C

B

A

1

Do

## B

A

1

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS

8 0 X 0 0 0 X X X X X X X X X

80=M12x1  
Single ended

Contacts:  
3=3 Contacts  
4=4 Contacts  
5=5 Contacts  
8=8 Contacts

Heads style:  
000=Plug Female Straight

Cable type: See Table

Units:  
M=Meter


Length  
Examples:  
005=0.5 unit  
010=1 unit  
100=10 units

Overmold color:  
Blank (Standard)=Black  
A=Grey / G=Black / Y=Yellow

Coupling Nut:  
Blank (Standard) & 3=Knurled Brass Ni Plated  
1=Hexagonal Stainless steel  
5=Knurled Derlin  
7=Knurled Brass Ni Plated, Teflon Coated  
9=Knurled / Hexagonal Brass Ni Plated

H= 2 pcs. of I/D Carrier PVC Transparent

COUPLING NUTS




CABLE INFORMATION (for more information see Cable Data Sheet).

| CABLE TYPE | NO. OF WIRES  | CROSS SECTION       | CABLE JACKET    | UL             | CSA                      | STATIC: TEMP. / BENDING RADIUS | DYNAMIC: TEMP. / BENDING RADIUS | DRAG CHAIN                                          | SHIELD |
|------------|---------------|---------------------|-----------------|----------------|--------------------------|--------------------------------|---------------------------------|-----------------------------------------------------|--------|
| E02        | 3 / 4 / 5 / 8 | 0.25mm <sup>2</sup> | PVC BLACK       | UL 2464/1729   | C22.2 I/II A/B 80°C/300V | -30°C to +80°C, 10xO.D.        | -10°C to +80°C, 15xO.D.         | -                                                   | -      |
| E03        | 3 / 4 / 5     | 0.34mm <sup>2</sup> | PVC BLACK       | UL 2464/1729   | C22.2 I/II A/B 80°C/300V | -30°C to +80°C, 10xO.D.        | -10°C to +80°C, 15xO.D.         | -                                                   | -      |
| H08        | 3 / 4 / 5 / 8 | 0.25mm <sup>2</sup> | PUR BLACK LS0H  | UL 21198/10493 | C22.2 I/II A/B 80°C/300V | -40°C to +80°C, 5xO.D.         | -25°C to +80°C, 10xO.D.         | 2 000 000 cycles at 20°C, Temp. range +5°C to +60°C | -      |
| H09        | 3 / 4 / 5     | 0.34mm <sup>2</sup> | PUR BLACK LS0H  | UL 21198/10493 | C22.2 I/II A/B 80°C/300V | -40°C to +80°C, 5xO.D.         | -25°C to +80°C, 10xO.D.         | 2 000 000 cycles at 20°C, Temp. range +5°C to +60°C | -      |
| P02        | 3 / 4 / 5 / 8 | 0.25mm <sup>2</sup> | PUR / PVC BLACK | -              | -                        | -30°C to +80°C, 7xO.D.         | -5°C to +80°C, 15xO.D.          | -                                                   | -      |
| P03        | 3 / 4 / 5     | 0.34mm <sup>2</sup> | PUR / PVC BLACK | -              | -                        | -30°C to +80°C, 7xO.D.         | -5°C to +80°C, 15xO.D.          | -                                                   | -      |

CABLE LENGTH TOLERANCES

| OVER    | UP TO AND INCLUDING | TOLERANCES             |
|---------|---------------------|------------------------|
| 0       | 305mm               | +19mm                  |
| 305mm   | 915mm               | +45mm                  |
| 915mm   | 1830mm              | +56mm                  |
| 1830mm  | 3660mm              | +89mm                  |
| 3660mm  | 7320mm              | +165mm                 |
| 7320mm  | 14640mm             | +317mm                 |
| 14640mm | 30500mm             | +610mm                 |
| 30500mm | >                   | +2% of finished length |



SCALE 1:1

| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                                                                   |  |                                       |  |                                                            |  |                 |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------|--|---------------------------------------|--|------------------------------------------------------------|--|-----------------|--|--------------------------------------------------------------|--|--|--|--|----------------------------------|--|-----------------|--|--|----------------------------|--|--|--|--|
| QUALITY SYMBOLS                                                                                                                               |  | 2017/06/30<br>2017/08/30                                          |  | GENERAL TOLERANCES (UNLESS SPECIFIED) |  | DIMENSION UNITS                                            |  | SCALE           |  | <div>molex®</div> <div>CSE M12 XP AC FE STR XM SE UNSH</div> |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
|                                                                                                                                               |  |                                                                   |  |                                       |  | mm                                                         |  | 1:1             |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FA = 0                                                                                                                                        |  | EC NO: 120529<br>DRWN: BBRAUCH<br>CHK'D: BBRAUCH<br>APPR: BBRAUCH |  | ANGULAR TOL ± 1.0 °                   |  | DRWN BY                                                    |  | DATE            |  | PRODUCT CUSTOMER DRAWING                                     |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FB = 0                                                                                                                                        |  |                                                                   |  |                                       |  | JMARSZALEK                                                 |  | 2016/01/11      |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FC = 0                                                                                                                                        |  |                                                                   |  |                                       |  | CHK'D BY                                                   |  | DATE            |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FD = 0                                                                                                                                        |  |                                                                   |  |                                       |  |                                                            |  |                 |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FE = 0                                                                                                                                        |  |                                                                   |  |                                       |  | 4 PLACES                                                   |  | ±               |  | SERIES<br>120065                                             |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FF = 0                                                                                                                                        |  |                                                                   |  |                                       |  | 3 PLACES                                                   |  | ±               |  |                                                              |  |  |  |  | MATERIAL NUMBER<br>SEE SHEET 3-4 |  |                 |  |  |                            |  |  |  |  |
| FG = 0                                                                                                                                        |  |                                                                   |  |                                       |  | 2 PLACES                                                   |  | ± 0.05          |  |                                                              |  |  |  |  |                                  |  |                 |  |  | CUSTOMER<br>GENERAL MARKET |  |  |  |  |
| FH = 0                                                                                                                                        |  |                                                                   |  |                                       |  | 1 PLACE                                                    |  | ± 0.3           |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FI = 0                                                                                                                                        |  |                                                                   |  |                                       |  | 0 PLACES                                                   |  | ± 0.5           |  | DOCUMENT NUMBER<br>1200651978                                |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FJ = 0                                                                                                                                        |  |                                                                   |  |                                       |  | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |  | APPR BY         |  |                                                              |  |  |  |  | DATE                             |  | DOC TYPE<br>PSD |  |  |                            |  |  |  |  |
| FK = 0                                                                                                                                        |  | RSILLER                                                           |  | 2016/04/08                            |  |                                                            |  | DOC PART<br>000 |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |
| FL = 0                                                                                                                                        |  | DRAWING SIZE                                                      |  | THIRD ANGLE PROJECTION                |  |                                                            |  |                 |  |                                                              |  |  |  |  | SHEET NUMBER<br>2 OF 4           |  |                 |  |  |                            |  |  |  |  |
| FM = 0                                                                                                                                        |  | A3                                                                |  |                                       |  |                                                            |  |                 |  |                                                              |  |  |  |  |                                  |  |                 |  |  |                            |  |  |  |  |

PART LIST

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 1   | 1200060001 | 803000E03M020   | 2m           |
| 2   | 1200060002 | 803000E03M050   | 5m           |
| 3   | 1200060003 | 803000E03M100   | 10m          |
| 4   | 1200060004 | 803000P03M020   | 2m           |
| 5   | 1200060005 | 803000P03M050   | 5m           |
| 6   | 1200060006 | 803000P03M100   | 10m          |
| 7   | 1200060014 | 804000E03M020   | 2m           |
| 8   | 1200060015 | 804000E03M050   | 5m           |
| 9   | 1200060016 | 804000E03M100   | 10m          |
| 10  | 1200060018 | 804000P03M020   | 2m           |
| 11  | 1200060019 | 804000P03M050   | 5m           |
| 12  | 1200060027 | 803000E03M006   | 0.6m         |
| 13  | 1200060032 | 804000E03M005   | 0.5m         |
| 14  | 1200060034 | 804000P03M025   | 2.5m         |
| 15  | 1200060107 | 803000E03M003   | 0.3m         |
| 16  | 1200060113 | 803000E03M030   | 3m           |
| 17  | 1200060115 | 803000E03M0501  | ✱ 5m         |
| 18  | 1200060116 | 803000E03M0505  | 5m           |
| 19  | 1200060117 | 803000E03M1005  | 10m          |
| 20  | 1200060119 | 803000E03M150   | 15m          |
| 21  | 1200060121 | 803000E03M200   | 20m          |
| 22  | 1200060124 | 803000E03M2505  | 25m          |
| 23  | 1200060152 | 803000P03M010   | 1m           |
| 24  | 1200060153 | 803000P03M030   | 3m           |
| 25  | 1200060157 | 803000P03M150   | 15m          |
| 26  | 1200060158 | 803000P03M200   | 20m          |
| 27  | 1200060426 | 804000E03M010   | 1m           |
| 28  | 1200060427 | 804000E03M0201  | ✱✱ 2m        |
| 29  | 1200060428 | 804000E03M030   | 3m           |
| 30  | 1200060429 | 804000E03M0501  | ✱ 5m         |
| 31  | 1200060430 | 804000E03M0505  | 5m           |
| 32  | 1200060431 | 804000E03M150   | 15m          |
| 33  | 1200060432 | 804000E03M200   | 20m          |
| 34  | 1200060456 | 804000P03M0201  | 2m           |
| 35  | 1200060457 | 804000P03M030   | 3m           |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 36  | 1200060458 | 804000P03M0501  | 5m           |
| 37  | 1200060461 | 804000P03M200   | 20m          |
| 38  | 1200060634 | 805000E03M020   | 2m           |
| 39  | 1200060638 | 805000E03M100   | 10m          |
| 40  | 1200060646 | 805000P03M003   | 0.3m         |
| 41  | 1200060647 | 805000P03M020   | 2m           |
| 42  | 1200060649 | 805000P03M100   | 10m          |
| 43  | 1200061337 | 804000E03M0205  | 2m           |
| 44  | 1200061431 | 805000P03M150   | 15m          |
| 45  | 1200061528 | 804000E03M250   | 25m          |
| 46  | 1200061765 | 803000P03M002   | 0.2m         |
| 47  | 1200061785 | 804000P03M006   | 0.6m         |
| 48  | 1200061913 | 804000E03M300   | 30m          |
| 49  | 1200061958 | 803000E03M021   | 2.1m         |
| 50  | 1200062071 | 803000E03M060   | 6m           |
| 51  | 1200062098 | 803000P03M006   | 0.6m         |
| 52  | 1200062130 | 804000E03M050H  | 5m           |
| 53  | 1200062167 | 804000P03M100H  | 10m          |
| 54  | 1200062264 | 804000E03M1505  | 15m          |
| 55  | 1200062347 | 804000P03M050H  | 5m           |
| 56  | 1200062521 | 805000P03M030   | 3m           |
| 57  | 1200062772 | 803000P03M250   | 25m          |
| 58  | 1200062811 | 803000P03M100H  | 10m          |
| 59  | 1200062853 | 804000P03M150   | 15m          |
| 60  | 1200062866 | 804000E03M020H  | 2m           |
| 61  | 1200062992 | 804000E03M200H  | 20m          |
| 62  | 1200063121 | 804000P03M0053  | 0.5m         |
| 63  | 1200063224 | 804000E03M003   | 0.3m         |
| 64  | 1200063227 | 804000P03M0063  | 0.6m         |
| 65  | 1200063314 | 805000E03M010   | 1m           |
| 66  | 1200063402 | 804000P03M003   | 0.3m         |
| 67  | 1200063407 | 804000E03M1001  | ✱ 10m        |
| 68  | 1200063415 | 803000P03M0707  | 7m           |
| 69  | 1200063443 | 804000E03M030H  | 3m           |
| 70  | 1200063647 | 804000E03M2001  | 20m          |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 71  | 1200063673 | 803000P03M1001  | 10m          |
| 72  | 1200063779 | 805000E03M300   | 30m          |
| 73  | 1200063940 | 804000P03M0051  | 0.5m         |
| 74  | 1200064033 | 804000P03M120   | 12m          |
| 75  | 1200064093 | 803000P03M032   | 3.2m         |
| 76  | 1200064292 | 805000P03M200   | 20m          |
| 77  | 1200064313 | 805000P03M200G  | 20m          |
| 78  | 1200064390 | 804000P03M1001  | 10m          |
| 79  | 1200064422 | 804000E03M120   | 12m          |
| 80  | 1200064434 | 804000H09M050G  | 5m           |
| 81  | 1200065004 | 805000P03M0201  | 2m           |
| 82  | 1200065006 | 804000H09M250G  | 25m          |
| 83  | 1200065012 | 803000P03M030G  | 3m           |
| 84  | 1200650951 | 808000P02M020   | 2m           |
| 85  | 1200650952 | 808000P02M040   | 4m           |
| 86  | 1200650953 | 808000P02M050   | 5m           |
| 87  | 1200650954 | 808000P02M060   | 6m           |
| 88  | 1200650955 | 808000P02M080   | 8m           |
| 89  | 1200650956 | 808000P02M0801  | 8m           |
| 90  | 1200650957 | 808000P02M100   | 10m          |
| 91  | 1200651769 | 803000P03M050G  | 5m           |
| 92  | 1200651780 | 804000P03M050G  | 5m           |
| 93  | 1200651782 | 804000P03M100   | 10m          |
| 94  | 1200651792 | 805000P03M050   | 5m           |
| 95  | 1200651794 | 808000P02M010   | 1m           |
| 96  | 1200651795 | 808000P02M070   | 7m           |
| 97  | 1200651817 | 808000P02M200   | 20m          |
| 98  | 1200651818 | 808000P02M250   | 25m          |
| 99  | 1200651820 | 808000P02M300   | 30m          |
| 100 | 1200651978 | 805000E03M050   | 5m           |
| 101 | 1200652143 | 804000P03M040   | 4m           |
| 102 | 1200652144 | 804000P03M060   | 6m           |
| 103 | 1200652154 | 805000P03M060   | 6m           |
| 104 | 1200655073 | 808000P02M003   | 0.3m         |
| 105 | 1200655081 | 805000E03M150   | 15m          |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 106 | 1200658008 | 804000H09M050H  | 5m           |
| 107 | 1200658009 | 804000H09M100H  | 10m          |
| 108 | 1200658020 | 805000P03M040   | 4m           |
| 109 | 1200658021 | 808000P02M150   | 15m          |
| 110 | 1200658022 | 808000P02M030   | 3m           |
| 111 | 1200658064 | 804000P03M010   | 1m           |
| 112 | 1200658081 | 805000E03M200   | 20m          |
| 113 | 1200658165 | 805000E03M030   | 3m           |
| 114 | 1200658172 | 805000H09M020   | 2m           |
| 115 | 1200658173 | 805000H09M050   | 5m           |
| 116 | 1200658174 | 805000H09M100   | 10m          |
| 117 | 1200658175 | 803000H09M020   | 2m           |
| 118 | 1200658176 | 803000H09M050   | 5m           |
| 119 | 1200658177 | 803000H09M100   | 10m          |
| 120 | 1200658178 | 804000H09M020   | 2m           |
| 121 | 1200658179 | 804000H09M050   | 5m           |
| 122 | 1200658190 | 804000H09M100   | 10m          |
| 123 | 1200658191 | 804000H09M150   | 15m          |
| 124 | 1200658197 | 805000P03M010   | 1m           |
| 125 | 1200658208 | 805000E03M0061  | ✱ 0.6m       |
| 126 | 1200658210 | 805000E03M0501  | ✱ 5m         |
| 127 | 1200658219 | 803000E03M0201  | ✱ 2m         |
| 128 | 1200658224 | 808000E02M050   | 5m           |
| 129 | 1200658228 | 804000E03M3001  | ✱ 30m        |
| 130 | 1200658244 | 808000H08M050   | 5m           |
| 131 | 1200658264 | 808000H08M100   | 10m          |
| 132 | 1200658270 | 804000E03M1005  | 10m          |
| 133 | 1200658277 | 808000E02M020   | 2m           |
| 134 | 1200658278 | 808000E02M100   | 10m          |
| 135 | 1200658288 | 804000E03M050G  | 5m           |
| 136 | 1200658309 | 808000E02M0501  | 5m           |
| 137 | 1200658321 | 804000P03M005   | 0.5m         |
| 138 | 1200658331 | 805000E03M050H  | 5m           |
| 139 | 1200658350 | 803000E03M1001  | ✱ 10m        |
| 140 | 1200658473 | 804000H09M030   | 3m           |

NOTES:  
✱ - Part No. with Yellow PVC overmolding  
✱✱ - Part No. with Black PVC overmolding

QUALITY SYMBOLS

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

2017/06/30

2017/08/30

EC NO: 120529  
DRWN: BBRAUCH  
CHK'D:  
APPR: BBRAUCH

REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES

±

3 PLACES

±

2 PLACES

± 0.05

1 PLACE

± 0.3

0 PLACES

± 0.5

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

DIMENSION UNITS

mm

SCALE

1:1

DRWN BY

JMARSZALEK

DATE

2016/01/11

CHK'D BY

DATE

APPR BY

RSILLER


DATE

2016/04/08

DRAWING SIZE

A3

THIRD ANGLE PROJECTION





CSE M12 XP AC FE STR XM SE UNSH

PRODUCT CUSTOMER DRAWING

SERIES

120065

MATERIAL NUMBER

SEE PART LIST

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

1200651978

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

3 OF 4

RELEASE STATUS P1 RELEASE DATE 30.08.2017 06:51:03  
Downloaded from [Arrow.com](#)



PART LIST

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 141 | 1200658475 | 804000E03M1501  | ✱ 15m        |
| 142 | 1200658492 | 804000P03M100G  | 10m          |
| 143 | 1200658502 | 805000E03M005   | 0.5m         |
| 144 | 1200658503 | 805000E03M0201  | 2m           |
| 145 | 1200658511 | 808000E02M010   | 1m           |
| 146 | 1200658525 | 808000P02C350   | 0.35m        |
| 147 | 1200658545 | 804000P03M015   | 1.5m         |
| 148 | 1200658550 | 804000H09M015   | 1.5m         |
| 149 | 1200658551 | 808000E02M1001  | 10m          |
| 150 | 1200658562 | 803000E03M010   | 1m           |
| 151 | 1200658563 | 803000E03M040   | 4m           |
| 152 | 1200658570 | 804000E03M040   | 4m           |
| 153 | 1200658590 | 808000E02M030   | 3m           |
| 154 | 1200658591 | 808000E02M040   | 4m           |
| 155 | 1200658592 | 805000E03M040   | 4m           |
| 156 | 1200658609 | 804000P02M020   | 2m           |
| 157 | 1200658610 | 803000P03M040   | 4m           |
| 158 | 1200658622 | 804000P03M010G  | 1m           |
| 159 | 1200658623 | 804000P03M030G  | 3m           |
| 160 | 1200658630 | 804000P03M040G  | 4m           |
| 161 | 1200658632 | 805000H09M010   | 1m           |
| 162 | 1200658633 | 805000H09M015   | 1.5m         |
| 163 | 1200658634 | 805000H09M030   | 3m           |
| 164 | 1200658635 | 805000H09M040   | 4m           |
| 165 | 1200658636 | 803000H09M010   | 1m           |
| 166 | 1200658637 | 803000H09M015   | 1.5m         |
| 167 | 1200658638 | 803000H09M030   | 3m           |
| 168 | 1200658639 | 803000H09M040   | 4m           |
| 169 | 1200658640 | 804000H09M010   | 1m           |
| 170 | 1200658641 | 804000H09M040   | 4m           |
| 171 | 1200658642 | 808000H08M010   | 1m           |
| 172 | 1200658643 | 808000H08M015   | 1.5m         |
| 173 | 1200658644 | 808000H08M020   | 2m           |
| 174 | 1200658645 | 808000H08M030   | 3m           |
| 175 | 1200658646 | 808000H08M040   | 4m           |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 176 | 1200658780 | 805000H09M200   | 20m          |
| 177 | 1200658782 | 804000E03M060   | 6m           |
| 178 | 1200658812 | 808000E02M150   | 15m          |
| 179 | 1200658813 | 808000H08M025   | 2.5m         |
| 180 | 1200658860 | 808000E02M0061G | 0.6m         |
| 181 | 1200658880 | 804000H09M200   | 20m          |
| 182 | 1200658882 | 804000E03M100H  | 10m          |
| 183 | 1200658887 | 803000E03M020H  | 2m           |
| 184 | 1200658889 | 803000E03M050H  | 5m           |
| 185 | 1200658891 | 804000H09M003   | 0.3m         |
| 186 | 1200658894 | 804000E03M020G  | 2m           |
| 187 | 1200658896 | 804000E03M075   | 7.5m         |
| 188 | 1200658899 | 808000H08M250   | 25m          |
| 189 | 1200658907 | 804000H09M020H  | 2m           |
| 190 | 1200658920 | 808000E02M005H  | 0.5m         |
| 191 | 1200658921 | 808000E02M010H  | 1m           |
| 192 | 1200658927 | 804000P02M050   | 5m           |
| 193 | 1200658928 | 805000E03M1001  | 10m          |
| 194 | 1200658930 | 808000H08M150   | 15m          |
| 195 | 1200658977 | 805000P03M050G  | 5m           |
| 196 | 1200658983 | 804000E03M002   | 0.2m         |
| 197 | 1200658984 | 808000E02M2501  | 25m          |
| 198 | 1200658990 | 805000P03M050H  | 5m           |
| 199 | 1200658991 | 805000P03M100H  | 10m          |
| 200 | 1200659038 | 804000E02M100   | 10m          |
| 201 | 1200659040 | 804000E02M050   | 5m           |
| 202 | 1200659052 | 808000E02M2001  | 20m          |
| 203 | 1200659053 | 808000E02M3001  | 30m          |
| 204 | 1200659054 | 803000E03M050Y  | 5m           |
| 205 | 1200659055 | 803000E03M100Y  | 10m          |
| 206 | 1200659058 | 804000E03M050Y  | 5m           |
| 207 | 1200659059 | 804000E03M100Y  | 10m          |
| 208 | 1200659082 | 805000E03M100Y  | 10m          |
| 209 | 1200659088 | 804000P03M050HY | 5m           |
| 210 | 1200659092 | 808000P02M050Y  | 5m           |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 211 | 1200659097 | 804000H09M050Y  | 5m           |
| 212 | 1200659100 | 808000E02M050Y  | 5m           |
| 213 | 1200659102 | 808000H08M100Y  | 10m          |
| 214 | 1200659103 | 808000E02M100Y  | 10m          |
| 215 | 1200659106 | 808000E02M150Y  | 15m          |
| 216 | 1200659107 | 808000H08M150Y  | 15m          |
| 217 | 1200659123 | 804000P03M100HY | 10m          |
| 218 | 1200659144 | 805000H09M300   | 30m          |
| 219 | 1200659187 | 808000E02M4001  | 40m          |
| 220 | 1200659199 | 808000E02M150H  | 15m          |
| 221 | 1200659200 | 808000E02M250H  | 25m          |
| 222 | 1200659207 | 805000E03C230   | 0.23m        |
| 223 | 1200659214 | 805000P03M300   | 30m          |
| 224 | 1200659256 | 808000E02M200   | 20m          |
| 225 | 1200659279 | 805000E03M007   | 0.7m         |
| 226 | 1200659280 | 805000E03M350   | 35m          |
| 227 | 1200659282 | 805000P03M005   | 0.5m         |
| 228 | 1200659283 | 805000P03M007   | 0.7m         |
| 229 | 1200659302 | 804000P03M1005  | 10m          |
| 230 | 1200659326 | 805000P03M020H  | 2m           |
| 231 | 1200659329 | 805000P03M150H  | 15m          |
| 232 | 1200659330 | 805000P03M200H  | 20m          |
| 233 | 1200659334 | 808000P02M200H  | 20m          |
| 234 | 1200659340 | 804000P03M1501  | 15m          |
| 235 | 1200659341 | 804000P03M2501  | 25m          |
| 236 | 1200659368 | 805000E03M015   | 1.5m         |
| 237 | 1200659370 | 804000P03M020Y  | 2m           |
| 238 | 1200659387 | 808000E02M500   | 50m          |
| 239 | 1200659388 | 804000P03M012   | 1.2m         |
| 240 | 1200659389 | 804000P03M075   | 7.5m         |
| 241 | 1200659397 | 808000P02M100Y  | 10m          |
| 242 | 1200659399 | 808000P02M015   | 1.5m         |
| 243 | 1200659474 | 804000P03M250   | 25m          |
| 244 | 1200659475 | 804000P03M300   | 30m          |
| 245 | 1200659509 | 805000E03M600   | 60m          |

| No. | Part No.   | Engineering No. | Cable Length |
|-----|------------|-----------------|--------------|
| 246 | 1200659552 | 808000P02M050H  | 5m           |
| 247 | 1200659553 | 808000P02M100H  | 10m          |
| 248 | 1200659554 | 808000P02M150H  | 15m          |
| 249 | 1200659584 | 803000H09M003   | 0.3m         |
| 250 | 1200659594 | 805000P03M300H  | 30m          |
| 251 | 1200659595 | 805000P03M350H  | 35m          |
| 252 | 1200659613 | 808000E02M300   | 30m          |
| 253 | 1200659786 | 804000E02M041   | 4.1m         |
| 254 | 1200659790 | 804000E02M020   | 2m           |
| 255 | 1200659538 | 808000E02M100   | ✱✱ 10m       |
| 256 | 1200656061 | 803000E02M010   | 1m           |
| 257 |            |                 |              |
| 258 |            |                 |              |
| 259 |            |                 |              |
| 260 |            |                 |              |
| 261 |            |                 |              |
| 262 |            |                 |              |
| 263 |            |                 |              |
| 264 |            |                 |              |
| 265 |            |                 |              |
| 266 |            |                 |              |
| 267 |            |                 |              |
| 268 |            |                 |              |
| 269 |            |                 |              |
| 270 |            |                 |              |
| 271 |            |                 |              |
| 272 |            |                 |              |
| 273 |            |                 |              |
| 274 |            |                 |              |
| 275 |            |                 |              |
| 276 |            |                 |              |
| 277 |            |                 |              |
| 278 |            |                 |              |
| 279 |            |                 |              |
| 280 |            |                 |              |

NOTES:  
✱ - Part No. with Yellow PVC overmolding  
✱✱ - Part No. with Black PVC overmolding

QUALITY SYMBOLS

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

 = 0

2017/06/30

2017/08/30

EC NO: 120529

DRWN: BBRAUCH

CHK'D:

APPR: BBRAUCH

REV

A2

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES

±

3 PLACES

±

2 PLACES

± 0.05

1 PLACE

± 0.3

0 PLACES

± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION UNITS

mm

SCALE

1:1

DRWN BY

JMARSZALEK

DATE

2016/01/11

CHK'D BY

DATE

APPR BY

RSILLER


DATE

2016/04/08

DRAWING SIZE

A3

THIRD ANGLE PROJECTION





CSE M12 XP AC FE STR XM SE UNSH

PRODUCT CUSTOMER DRAWING

SERIES

120065

MATERIAL NUMBER

SEE PART LIST

CUSTOMER

GENERAL MARKET

DOCUMENT NUMBER

1200651978

DOC TYPE

PSD

DOC PART

000

SHEET NUMBER

4 OF 4