

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0348050113

Status:

Active

Overview:

CTX Crimp Terminals

Description:

CTX150 Female Terminal, Tin (Sn), 14-16 AWG D-Wind, Left Payoff, Grip Code L



Series image - Reference only

Documents:

- [Drawing \(PDF\)](#)
- [Application Specification AS-34805-001-015 \(PDF\)](#)
- [Packaging Specification 313025040-000 \(PDF\)](#)
- [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Crimp Terminals
Series	34805
Application	Power, Wire-to-Wire
Crimp Quality Equipment	Yes
Overview	CTX Crimp Terminals
Product Name	CTX150
UPC	884982651203

Physical

Durability (mating cycles max)	10
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Nickel
Net Weight	0.267/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.80mm
Wire Size AWG	14, 16
Wire Size mm²	1.50-2.00

Electrical

Current - Maximum per Contact	15.0A
Voltage - Maximum	250V

Solder Process Data

Lead-freeProcess Capability	N/A
-----------------------------	-----

Material Info

Reference - Drawing Numbers

Application Specification	AS-34805-001-015
Packaging Specification	313025040-000
Sales Drawing	SD-34805-001

EU ELV

Compliant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per -
ED/61/2018 (27 June
2018)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series

34805 Series

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Hand Crimp Tool for CTX 1.50mm Receptacle Terminal, 1.25, 1.50, and 2.00mm²	638194100
FineAdjust Applicator for CTX150 Receptacle Terminals, 1.25mm², 1.50mm² & 2.00mm²	639010600

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION