638392-1 ACTIVE

AMP | AMP 0.64 Connector System


TE Internal #: 638392-1

Wire-to-Wire, 8 Position, 2.54 mm [.1 in] Centerline, Black, Signal, Cable Mount (Free-Hanging), Key A, AMP 0.64 Connector System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Wire

Number of Positions: 8

Centerline (Pitch): 2.54 mm [.1 in]

Sealable: No

Mating Tab Width: .64 mm [.025 in]

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Sealable	No
Configuration Features	

Number of Positions	8
Number of Rows	2

Body Features

Primary Product Color	Black
Connector & Kevina Code	A

Contact Features

Contact Size	.64mm
Mating Tab Width	.64 mm[.025 in]

Mechanical Attachment

Strain Relief Mating Alignment Type Keyed Mating Alignment With	Terminal Position Assurance	Yes
	Strain Relief	Without
Mating Alignment With	Mating Alignment Type	Keyed
	Mating Alignment	With



Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Connector Height	24.96 mm[.983 in]
Product Width	20.3 mm[.799 in]
Product Length	13 mm[.512 in]
Row-to-Row Spacing	2.54 mm[.1 in]
Operation/Application	
Circuit Application	Signal
Circuit Application Industry Standards	Signal
	Signal SAE/USCAR-2
Industry Standards	
Industry Standards Compatible With Agency/Standards Products	SAE/USCAR-2
Industry Standards Compatible With Agency/Standards Products UL Flammability Rating	SAE/USCAR-2
Industry Standards Compatible With Agency/Standards Products UL Flammability Rating Packaging Features	SAE/USCAR-2 UL 94HB
Industry Standards Compatible With Agency/Standards Products UL Flammability Rating Packaging Features Packaging Quantity	SAE/USCAR-2 UL 94HB
Industry Standards Compatible With Agency/Standards Products UL Flammability Rating Packaging Features Packaging Quantity Packaging Method	SAE/USCAR-2 UL 94HB

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free




Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Also in the Series | AMP 0.64 Connector System













Customers Also Bought





















Documents

Product Drawings
.64MM PLUG ASSY,KEY A,W/O CPA

English

CAD Files

Customer View Model ENG_CVM_CVM_638392-1_B.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_638392-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_638392-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English