

PIDG

TE Internal #: 1-327743-1


Closed Ring Tongue Terminal, 16 – 14 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially

Insulated

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: M6

All PIDG Ring Tongue Terminals (411)

Features

Product Type Features

Terminal Features	Heavy Duty
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Stripe Color	Black
Product Weight	.611 g
Contact Features	



Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Wire Size	2050 – 5180 CMA	
Stud Diameter	6.73 mm[.265 in]	
Tongue Thickness	.79 mm[.031 in]	
Product Length	1.3 mm[.051 in]	
Compatible Insulation Diameter (Max)	5.84 mm[.23 in]	
Compatible Insulation Diameter Range	3.81 – 5.84 mm[.15 – .23 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operating Temperature Range	105 °C[221 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
Compatible With Wire Base Material Compatible With Wire Plating Material	Copper Tin	
Compatible With Wire Plating Material		
Compatible With Wire Plating Material Industry Standards	Tin	
Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Tin	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)



	1	contain		
	$n \cap T$	contain	$R \vdash \Delta (\vdash \vdash $	1 > \/ H(
17053	11()1			1 .) V I I (

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





10 ASSY











Also in the Series | PIDG





Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)



Hand Crimping Tools(2)



Knife Disconnects(11)




Quick Disconnects(32)



Ring Terminals(589)



Spade Terminals(228)



Special Purpose Terminals(1)



Splices(40)

Customers Also Bought



TE Part #440129-2 2.0MM,HSG,2POS



TE Part #350783-1 12P UMNL CAP HSG



TE Part #1-480701-0 03P UMNL CAP HSG NATL



TE Part #770903-1 MINI UMNL PIN 22-18 AWG SN



TE Part #1735801-1 2.0mm,Crimp,Contact



TE Part #61794-1
RING 18-14 AWG TPST




TE Part #42660-2 250 FASTON REC 18-14 AWG TPBR



TE Part #2119582-2 Crimper, Insulation F Premium







Documents

Product Drawings

TERMINAL, PIDG R 16-14HD 1/4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-327743-1_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-327743-1_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-327743-1_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.