

ANT-5GMWP1-SMA

✓ ACTIVE

TE Internal #: ANT-5GMWP1-SMA
Terminal/Duck Antenna, Multi Band, 5G / Cellular / LTE, External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi
[View on TE.com >](#)



Antennas



Wireless Application: 5G, Cat-M/NB-IoT, Cellular, LTE
Mounting Location: External
Mounting Type: Stud/Screw/Lug Mount
Frequency Category: 2400 – 5950
Antenna Type: Terminal/Duck

Features

Product Type Features

Antenna Termination	SMA
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Whip
Mounting Location	External
Antenna Type	Terminal/Duck
Band Type	Multi Band
Port Configuration	Single Port

Electrical Characteristics

VSWR (Max)	<1.9:1
Impedance	50 Ω

Signal Characteristics

Gain (Max)	5.9 dB
Frequency Band	3300 – 3800 MHz, 3300 – 3800 MHz
Frequency Category	2400 – 5950
Peak Gain	3 < 6 dBi

Body Features

Product Weight	25.6 g[.90299 oz]
----------------	-------------------



Mechanical Attachment

Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount

Dimensions

Product Width	13 mm[.51 in]
Product Length	195 mm[7.68 in]
Product Height	0 mm[0 in]

Operation/Application

Antenna Environment	Outdoor
Directionality	Omnidirectional

Industry Standards

Wireless Application	5G, Cat-M/NB-IoT, Cellular, LTE
Primary Application	5G, Cellular, LTE

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the

ANT-5GMWP1-SMA

Terminal/Duck Antenna, Multi Band, 5G / Cellular / LTE, External Mount, Stud/Screw /Lug Mount, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONSMA001
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-L-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-SMD-G
SMA Jack 50 Ohm PCB Surface Mount



TE Part # CONSMA008-G
SMA Jack 50 Ohm Through Hole PCB




TE Part # L000810-01
SPLATCH CBRS/5G MIDBAND CHIP
ANT, 2.5-5G

Customers Also Bought



TE Part #NB-PTCO-011
Pt100, 2.0x2.3, Class A, PTFC101A1G0



TE Part #4-1609157-2
6EJT1F=F8135C




TE Part #T4112501041-000
M12,FEMALE,RA,D CODE,4P,PG7,
GOLD




TE Part #ADP-SMAM-SMBF-G
SMA Plug to SMB Jack



TE Part #ANT-5GMWS1-SMA
Antenna Blade 5G/CBRS Swivel SMA



TE Part #3-2176458-6
CPF 1206 2R32 0.1% 25ppm 1K RL



TE Part #2388444-1
Conn Kit,Rcpt,Full-Width,3-MT,2x,V66.
5-D



TE Part #CON292001-1
2.92 mm Jack 50 Ohm PCB Surface
Mount

Documents

Product Drawings
Antenna Whip 5G/CBRS Swivel SMA
English

ANT-5GMWP1-SMA

Terminal/Duck Antenna, Multi Band, 5G / Cellular / LTE, External Mount, Stud/Screw /Lug Mount, SMA, Omnidirectional, Single Port, Gain 3 < 6 dBi



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ANT-5GMWP1-SMA_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_ANT-5GMWP1-SMA_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ANT-5GMWP1-SMA_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Sub-6 Midband and CBRS 5G Antenna

English