

Part Number: 1300910062

Series Number: 130091

Product Description: Woodhead Standard Duty Reel, 14/3 SJTOW Cord, 13.72m (45.0') Cord Length with 13W Fluorescent Hand

Lamp and Handle Ballast

Status: Active

**Engineering Number: 990-86** 

### **Documents & Resources**

**Product Category:** Electrical Reels

**Drawings** 

Drawing 1300910062\_sd.pdf

## **Product Environment Compliance**

## Compliance

| GADSL/IMDS         | Not Relevant                                      |
|--------------------|---|
| China RoHS         | Not Reviewed per SJ/T 11365-2006                  |
| EU ELV             | Not Relevant                                      |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                   |
| REACH SVHC         | Not Reviewed per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Not Reviewed per EU 2015/863                      |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **EU RoHS Certificate of Compliance**

#### **Part Details**

#### General

| Status             | Active  |
|--------------------|---|
| Category           | Electrical Reels  |
| Series             | 130091  |
| Description        | Woodhead Standard Duty Reel,<br>14/3 SJTOW Cord, 13.72m (45.0')<br>Cord Length with 13W Fluorescent<br>Hand Lamp and Handle Ballast |
| Enclosure Rating   | NEMA 1  |
| NEMA Configuration | NEMA 5-15   |
| Product Family     | Reels - Woodhead  |
| Product Name       | Super-Safeway   |
| Туре               | Cord Reel   |
| UPC                | 78678833619   |

# Agency

|     | UL | E22769 |
|-----|----|--------|
| - 1 |    | 1      |

## Electrical

| Current - Maximum per Contact | 11.0A |
|-------------------------------|-------|
| GFCI                          | No    |
| Lamp Wattage - Maximum        | 13W   |
| On/Off Switch                 | Yes   |
| Voltage - Maximum             | 120V  |

## Physical

| Bulb Included  | Yes            |
|----------------|----------------|
| Cable Length   | 0.457m (1.50') |
| Cable Movement | Ratchet Lock   |
| Cord Length    | 13.72m (45.0') |
| Cord Type      | 14/3 SJTOW     |
| Depth          | 0.30m (11.75") |
| Drum Lock      | Ratchet        |
| Duty           | Standard       |
| Guide Arm      | 2 - Position   |
| Height         | 0.36m (14.25") |
| Lamp Type      | Fluorescent    |

| Material - Coating       | Powder Coating      |
|--------------------------|---------------------|
| Material - Housing       | Steel/Polycarbonate |
| Mounting Style           | Rigid               |
| Number of Conductors     | 3                   |
| Packaging Type           | Carton              |
| Primary Cord/Cable Entry | N/A                 |
| Retraction Weight        | 1.4kg (3.0 lb)      |
| Width                    | 196.85mm (7.750")   |
| Wire Size (AWG)          | 14                  |

This document was generated on Sep 17, 2024