









PRODUCT NO.
68794



mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		A FCI	
ltr	ecn no.	dr	date		projection	title	www.Fciconnect.com
E	N05-0154	ZC	6/10/05		linear	HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED	
					angles	product family	QUICKIE
					dr	size	dwg no
					J.W. BAR	8/1/90	68794
					M.SMYK	8/1/90	
					M.SMYK	8/1/90	
					M.SMYK	8/1/90	
sheet index	revision				scale	code	sheet
					1:1	A3	1 of 8

--	--



- ① SAME PIN POSITION TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- ② MOLDING MATERIAL: 30% GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL-94-V0 COLOR: BLUE.

3. 1° MAX DRAFT PERMISSIBLE ON ALL SURFACES.

4, 4 POUNDS / 1.8 KILOGRAMS MIN. TERMINAL PULL-OUT FORCE.

5. TERMINAL MATERIAL: 3/4 HARD PHOSPHORUS BRONZE.

6. POLARIZING KEYS INSTALLED IN HEADERS.

⑦ THIS PRODUCT IS MADE FROM HEADER NO. 66506 AND POLARIZING KEY NO. 66423.

⑧ MOLDED-IN KEYS ARE MANUFACTURER'S OPTION.

9. 68794-***LF IS JUST A LEAD FREE PRODUCT.

10. THE HOUSING OF XXXX-XYLF WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.

mat'l. code				tolerances unless otherwise specified		CUSTOMER		A FCI		www.fciconnect.com
litr	ecn no	dr	date	linear	.X ± 0.3	projection 	COPY	title	HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED	
E					.XX ± 0.13					
					.XXX ± 0.05					
				angles	±					
		dr	J.W. BAIR	8/1/90	INCH/MM	 	product family QUICKIE	code		
		engr	M.SMYK	8/1/90						
		chr	M.SMYK	8/1/90	scale 1:1					
		appd	M.SMYK	8/1/90	A3					
sheet	revision							sheet 2 of 8		
index	sheet									



1		2		3		4		5		6	
SIZE		STYLE		DIM A		DIM B		DIM C		DIM J	
TERMINAL PLATING		TERM TYPE		CUSTOMER RESTRICTED							
68794-001<LF>				UNASSIGNED							
-002<LF>				UNASSIGNED							
-003<LF>				UNASSIGNED							
-004<LF>				UNASSIGNED							
-005<LF>				UNASSIGNED							
-006<LF>				UNASSIGNED							
-007<LF>		2 x 10		D		1. 28/32. 5		. 900/22. 86		. 105/2. 67	
-008<LF>		2 x 10				1. 28/32. 5		. 900/22. 86		. 150/3. 81	
-009<LF>		2 x 10				1. 28/32. 5		. 900/22. 86		. 675/17. 15	
-010<LF>		2 x 10				1. 28/32. 5		. 900/22. 86		. 105/2. 67	
-011<LF>		2 x 10				1. 28/32. 5		. 900/22. 86		. 150/3. 81	
-012<LF>		2 x 10				1. 28/32. 5		. 900/22. 86		. 675/17. 15	
-013<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 105/2. 67	
-014<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 150/3. 81	
-015<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 675/17. 15	
-016<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 105/2. 67	
-017<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 150/3. 81	
-018<LF>		2 x 13				1. 58/40. 1		1. 200/30. 48		. 675/17. 15	
-019<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 105/2. 67	
-020<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 150/3. 81	
-021<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 675/17. 15	
-022<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 105/2. 67	
-023<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 150/3. 81	
-024<LF>		2 x 17				1. 98/50. 3		1. 600/40. 64		. 675/17. 15	
-025<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 105/2. 67	
-026<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 150/3. 81	
-027<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 675/17. 15	
-028<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 105/2. 67	
-029<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 150/3. 81	
-030<LF>		2 x 20				2. 28/57. 9		1. 900/48. 26		. 675/17. 15	
-031<LF>		2 x 25				2. 78/70. 6		2. 400/60. 96		. 105/2. 67	
-032<LF>		2 x 25				2. 78/70. 6		2. 400/60. 96		. 150/3. 81	
-033<LF>		2 x 25				2. 78/70. 6		2. 400/60. 96		. 675/17. 15	
-034<LF>		2 x 25				2. 78/70. 6		2. 400/60. 96		. 105/2. 67	
66506-035<LF>		2 x 25		D		2. 78/70. 6		2. 400/60. 96		. 150/3. 81	

mat'l. code

itr
E

sec no

dr

date

linear

angles

dr

engr

chr

appd

sheet

index

tolerances unless otherwise specified

.X ± 0.3

.XX ± 0.13

.XXX ± 0.05

linear

angles

dr

engr

chr

appd

sheet

index

CUSTOMER

COPY

projection

INCH/MM

scale

1:1

sheet

3 of 8

A
FCI

www.Fciconnect.com

title

HEADER QUICKIE SLIM LINE

VERTICAL 4 WALLED

product family

QUICKIE

code

68794

size

dwg no

A3

A

△

△

C

C

		POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-234(LF)		2 X 15	D	1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 150/3. 81	30u* /. 76u Au OVER 50u* /1/. 27u Ni	ROUND	ND
							. 150/3. 81	30u* /. 76u GXT WITH GOLD FLASH	ROUND	
							. 150/3. 81	150u* /3. 81u Sn	SQ	
							. 675/17. 15	15u* /. 38u Au OVER 50u* /1. 27u Ni	SQ	
							. 675/17. 15	30u* /. 76u Au OVER 50u* /1/. 27u Ni	SQ	
							. 675/17. 15	30u* /. 76u GXT WITH GOLD FLASH	SQ	
							. 675/17. 15	150u* /3. 81u Sn	SQ	
		2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56	. 105/2. 67	15u* /. 38u Au OVER 50u* /1. 27u Ni	ROUND	
		2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 105/2. 67	30u* /. 76u Au OVER 50u* /1/. 27u Ni	ROUND	
							. 105/2. 67	30u* /. 76u GXT WITH GOLD FLASH	ROUND	
							. 105/2. 67	150u* /3. 81u Sn	SQ	
							. 675/17. 15	15u* /. 38u Au OVER 50u* /1. 27u Ni	SQ	
							. 675/17. 15	30u* /. 76u Au OVER 50u* /1/. 27u Ni	SQ	
							. 675/17. 15	30u* /. 76u GXT WITH GOLD FLASH	SQ	
		2 X 22	D	2. 48/63. 0	2. 42/61. 5	2. 100/53. 34	. 675/17. 15	150u* /3. 81u Sn	SQ	
		2 X 17	A	1. 98/50. 3	1. 92/48. 8	1. 600/40. 64	. 105/2. 67	15u* /. 38u Au OVER 50u* /1. 27u Ni	SQ	ND
							U N A S S I G N E D			
		2 X 5	B	. 78/19. 8	. 72/18. 3	. 400/10. 16	. 105/2. 67	30u* /. 76u Au OVER 50u* /1/. 27u Ni	ROUND	YES
		2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24				
		2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78				
		2 X 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86				
		2 X 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94				
		2 X 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48				
		2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56				
		2 X 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64				
		2 X 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26				
		2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34				
		2 X 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96				
		2 X 30	D	3. 28/83. 3	3. 22/81. 8	2. 900/73. 66	. 105/2. 67	30u* /. 76u Au OVER 50u* /1/. 27u Ni	ROUND	YES
							U N A S S I G N E D			
68794-268(LF)		2 X 5	B	. 78/19. 8	. 72/18. 3	. 400/10. 16	. 105/2. 67	30u* /. 76u GXT WITH GOLD FLASH	ROUND	YES

mat'l. code		tolerances unless otherwise specified		CUSTOMER		A FCI www.FCIconnect.com	
ltr	sec no	dr	date	COPY		projection	title
E							HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED

mat'l. code		tolerances unless otherwise specified		CUSTOMER		A PCI		www.fcconnect.com	
itr	ecn no	dr	date	X ± 0.3		COPY		title	
E				linear .xx ± 0.13		projection		HEADER QUICKIE SLIM LINE	
				.xxx ± 0.05				VERTICAL 4 WALLED	
				angles ±				code	
		dr		J.W. BAR	8/1/90	INCH/MM		product family	
		engr		M.SMYK	8/1/90	size		dwg no	
		chr		M.SMYK	8/1/90	scale		sheet	
		appd		M.SMYK	8/1/90	1:1		68794	
sheet	revision							7 of 8	
index	sheet								

	POSITION	STYLE	DIM A	DIM B	DIM C	DIM J	TERMINAL PLATING	TERM TYPE	CUSTOMER RESTRICTED
68794-269<LF>	2 X 7	C	. 98/24. 9	. 92/23. 4	. 600/15. 24	. 105/2. 67	30u" /. 76u GXT WITH GOLD FLASH	ROUND	YES
-270<LF>	2 X 8	D	1. 08/27. 4	1. 02/25. 9	. 700/17. 78				
-271<LF>	2 X 10		1. 28/32. 5	1. 22/31. 0	. 900/22. 86				
-272<LF>	2 X 12		1. 48/38. 0	1. 42/36. 1	1. 100/27. 94				
-273<LF>	2 X 13		1. 58/40. 1	1. 52/38. 6	1. 200/30. 48				
-274<LF>	2 X 15		1. 78/45. 2	1. 72/43. 7	1. 400/35. 56				
-275<LF>	2 X 17		1. 98/50. 3	1. 92/48. 8	1. 600/40. 64				
-276<LF>	2 X 20		2. 28/57. 9	2. 22/56. 4	1. 900/48. 26				
-277<LF>	2 X 22		2. 48/63. 0	2. 42/61. 5	2. 100/53. 34				
-278<LF>	2 X 25		2. 78/70. 6	2. 72/69. 1	2. 400/60. 96				
-279<LF>	2 X 30		3. 28/83. 3	3. 22/81. 8	2. 900/73. 66		30u" /. 76u GXT WITH GOLD FLASH	ROUND	YES
68794-280<LF>	2 X 10	D	1. 28/32. 5	1. 22/31. 0	. 900/22. 86	. 105/2. 67	150u" /3. 81u Sn	SQUARE	NO

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	A FCI www.fciconnect.com
ltr	ecn	no	dr	date			
E					linear	projection	title
					angles		HEADER QUICKIE SLIM LINE VERTICAL 4 WALLED
					dr	J.W.BAIR 8/1/90	product family Quickie
					enrg	M.SMYK 8/1/90	size dwg no
					chr	M.SMYK 8/1/90	code
					appd	M.SMYK 8/1/90	scale
							5:1
sheet index	revision	sheet					A 68794
							sheet 8 of 8