


SEARCH



[Search Only Products /](#)

DATAB Series Self-Laminating Vinyl Labels



DATAB Series Self-Laminating Vinyl Labels

Part Number:

DAT-7-292-10

Material:

Vinyl

Dimensions:

1.437 in H x 0.8 in W

UOM:

Pack

Color:

Clear/White

ADD TO CART

1

PEOPLE ALSO VIEWED

OVERVIEW

Self-Laminating Vinyl (B-292) is a matte vinyl with a clear overlamine to protect graphics against oil, water, and mild solvents.

- Vinyl labels feature clear "trailer" that wraps to protect printed text
- Flexible, self-extinguishing material conforms to most surfaces
- Operating temperature of -40°F to 150°F (-40°C to 65.5°C)
- RoHS Compliant; and UL Recognized when printed with Brady Series R2000, R5000, and R7300 ribbons

SPECIFICATIONS

Anti-Skid Surface?	N/A
Brady Material Number	B-292
Dimensions	1.437 in H x 0.8 in W
UOM	Pack
Finish	Matte
Horizontal Repeat	0.9 in
Indoor or Outdoor Use	Outdoor Use
Label/Tape Size (in/ft/yd)	1.437 in H x 0.8 in W
Maximum Service Temperature °F	158 °F
Maximum Wire Diameter (in/ft/yd)	0.30 in
Minimum Service Temperature °F	-40 °F
Minimum Wire Diameter (in/ft/yd)	0.15 in
Overlamine Included	Overlamine Included
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.5 in H x 0.8 in W
Printable Area Height (in/ft/yd)	0.5 in
Printable Area Width (in/ft/yd)	0.8 in
Product Number	28960
UPC	662820289609
Quantity per Roll	10000
Quantity per Row	6

Tamper Indication Type	N/A
Thickness (in/ft/yd)	0.004 in
Vertical Repeat	1.5 in
Web Width (in/ft/yd)	6.3 in
Adhesive Type	Acrylic
Applications	Cable & Wire Marking, Panel Labeling
Color	Clear/White
For Use with Printer	Dot Matrix Printers
Header	No Header
Label/Media Format	Pack
Material	Vinyl
Material Properties	Flame-retardant, Self-Laminating
Print Technology	Dot Matrix
Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
Shape	Rectangle
Suggested Ribbon Series	R2000, R5000

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)
[Brand Protection Solutions](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Visual Workplace Services](#)
[Hazcom GHS Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE-RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)



Brady
(NYSE:BRC)
is a
manufacturer
of complete
solutions
that
identify and
protect
people,
products
and places.
Brady's
products
help
customers
increase
safety,
security,
productivity
and
performance
and include
high-
performance
labels,
signs, safety
devices,
printing
systems
and
software.

Contact
6555
W.
Good
Hope
Rd.
Milwaukee
WI
53223
Phone:
888-
250-
3082
Hours:
7am-
6pm
CST
Monday
-
Thursday;
Friday
7am-
5pm
CST

About
Corporation
Privacy
Policy
Terms
and
Conditions
Terms
of Use
ISO
Certificates

Other
Brady
Sites
Distributor
Portal
International
Sites
Safety
Services
&
Software
Smart
ID
Brand
Protection



2018 Brady Worldwide, Inc.