








参考パターンレイアウト
RECOMMENDED PATTERN DIM. (REF)
SCALE 5:1



番号 NO.	部品 PART	材質 MATERIAL
①	ウェハー WAFER	耐熱ナイロン樹脂 UL94V-0 色:表参照 HEAT RESISTANCE NYLON, UL94V-0, COLOR:SEE TABLE
②	ソルダーピン SOLDER PIN	りん青銅 PHOSPHOR BRONZE 錫メッキ: 1.0μmMIN. TIN ニッケルメッキ(下地): 1.0μmMIN. NICKEL(UNDER PLATING)
③	ネイル NAIL	りん青銅 PHOSPHOR BRONZE 錫メッキ: 1.0μmMIN. TIN ニッケルメッキ(下地): 1.0μmMIN. NICKEL(UNDER PLATING)
④	カバーテープ COVER TAPE	ポリイミドテープ POLYIMIDE TAPE

NOTES.

- 嵌合相手: 501939-****
MATE WITH: 501939-****
- ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
- △ 極数=偶数に適用
APPLY FOR CKT SIZE=EVEN

6.5	4.0	5.2	7.0	5
5.5	3.0		6.0	4
4.5	2.0	4.2	5.0	3
D	C	B	A	極数 CIRCUITS

CONNECTOR SERIES No. 501940-****9

REVISED EC NO.: J2010-0339 DRAWN: INAKAGAWA 01 2009/09/01 CHKD: MATSUMOTO 2009/09/01 APPR: HIRATA 2009/09/01	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW ST POSI-LOCK -LEAD FREE- MOLEX INCORPORATED				
		10 OVER 30 UNDER	±0.25	CHECKED BY AMIZUMURA	DATE 2005/09/16					
		30 OVER	±0.3	APPROVED BY MYAGI	DATE 2005/09/16					
		ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-501940-001		1 OF 2		
		REV		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

F

E

D

C

B

A

10	9	8	7	6	5	4	3	2	1																																					
					<table><tr><td>紫 PA46 VIOLET</td><td>橙 PA46 ORANGE</td><td>茶 PA46 BROWN</td><td>緑 PA46 GREEN</td><td>色 COLOR</td></tr><tr><td>501940-0597</td><td>501940-0587</td><td>501940-0577</td><td>501940-0567</td><td>5</td></tr><tr><td>501940-0497</td><td>501940-0487</td><td>501940-0477</td><td>501940-0467</td><td>4</td></tr><tr><td>501940-0397</td><td>501940-0387</td><td>501940-0377</td><td>501940-0367</td><td>3</td></tr><tr><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>極数</td></tr><tr><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>CIRCUITS</td></tr></table>	紫 PA46 VIOLET	橙 PA46 ORANGE	茶 PA46 BROWN	緑 PA46 GREEN	色 COLOR	501940-0597	501940-0587	501940-0577	501940-0567	5	501940-0497	501940-0487	501940-0477	501940-0467	4	501940-0397	501940-0387	501940-0377	501940-0367	3	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS											
紫 PA46 VIOLET	橙 PA46 ORANGE	茶 PA46 BROWN	緑 PA46 GREEN	色 COLOR																																										
501940-0597	501940-0587	501940-0577	501940-0567	5																																										
501940-0497	501940-0487	501940-0477	501940-0467	4																																										
501940-0397	501940-0387	501940-0377	501940-0367	3																																										
EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数																																										
オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS																																										
CONNECTOR SERIES No. 501940-***9																																														
					<table><tr><td>青 PA46 BLUE</td><td>黄 PA46 YELLOW</td><td>赤 PA46 RED</td><td>黒 PA46 BLACK</td><td>自然色 PA6T NATURAL</td><td>色 COLOR</td></tr><tr><td>501940-0547</td><td>501940-0537</td><td>501940-0527</td><td></td><td>501940-0507</td><td>5</td></tr><tr><td>501940-0447</td><td>501940-0437</td><td>501940-0427</td><td>501940-0417</td><td>501940-0407</td><td>4</td></tr><tr><td>501940-0347</td><td>501940-0337</td><td>501940-0327</td><td>501940-0317</td><td>501940-0307</td><td>3</td></tr><tr><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>極数</td></tr><tr><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>CIRCUITS</td></tr></table>	青 PA46 BLUE	黄 PA46 YELLOW	赤 PA46 RED	黒 PA46 BLACK	自然色 PA6T NATURAL	色 COLOR	501940-0547	501940-0537	501940-0527		501940-0507	5	501940-0447	501940-0437	501940-0427	501940-0417	501940-0407	4	501940-0347	501940-0337	501940-0327	501940-0317	501940-0307	3	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS					
青 PA46 BLUE	黄 PA46 YELLOW	赤 PA46 RED	黒 PA46 BLACK	自然色 PA6T NATURAL	色 COLOR																																									
501940-0547	501940-0537	501940-0527		501940-0507	5																																									
501940-0447	501940-0437	501940-0427	501940-0417	501940-0407	4																																									
501940-0347	501940-0337	501940-0327	501940-0317	501940-0307	3																																									
EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数																																									
オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS																																									
CONNECTOR SERIES No. 501940-***9																																														
		REVISED EC NO: J2010-0339 IDRWN:TAKAGAWA01 2009/09/04 CHKD:HMATSUMOTO 2009/09/04 APPR:HHIRATA 2009/09/04	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																				
10 UNDER				±0.2	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW ST POSI-LOCK -LEAD FREE-																																							
10 OVER 30 UNDER				±0.25	CHECKED BY AMIZUMURA	DATE 2005/09/16																																								
30 OVER				±0.3	APPROVED BY MYAGI	DATE 2005/09/16	MOLEX INCORPORATED																																							
ANGULAR ±3 °				MATERIAL NO.		DOCUMENT NO.																																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-501940-001		SHEET NO. 2 OF 2																																						
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																								

tb_frame_A3_J_ME_S
Rev. E 2006/04/15

9

8

7

6

5

4

3

2

EN-02JA(021)

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C



C

B

B

A


A



DETAIL "B"

NOTES

- 製品詳細寸法については製品単体図面を参照ください。
RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 梱包数量：1100個／リール
NUMBER OF CONNECTORS：1100PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



- 材料
MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE：POLYSTYRENE
トップテープ：PET、その他
TOP TAPE：PET, OTHER
リール：ポリスチレン<リサイクル材を含む>
REEL：POLYSTYRENE <RECYCLE MATERIAL CONTAINED>
- ハイバリア梱包（シリカゲル入り）対応品である。（501940-**07除く）
THIS PRODUCT IS HIGH BARRIER PACKAGE.(WITH SILICAGEL)
(BESIDES 501940-**07)
- 開梱後の保管条件に注意のこと。（ハイバリア品対象：PS-501940-001参照）
REFER TO PS-501940-001(HIGH BARRIER PRODUCT)
FOR CONDITIONS AFTER OPEN.

REVISED	EC NO. J2010-0339	DRWN: TNAKAWA01 2009/09/01	CHKD: MATSUMOTO 2009/09/01	APPR: HIRATA 2009/09/01	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
						10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.0 WIRE TO BOARD CONN. WAFA ASS'Y 1-ROW ST EMBSP PKG -LEAD FREE-			
						10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE				
						30 OVER	± 0.3	APPROVED BY	DATE	MOLEX MOLEX INCORPORATED			
						ANGULAR ±3 °		MATERIAL NO.	DOCUMENT NO.				
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3		SD-501940-002		1 OF 3	
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

9

8

7

6

5

4

3

2

10

9

8

7

6

5

4

3

2

1

F


E

D

C

B

A



8.3	5
7.3	4
6.3	3
(A)	極数 CIRCUITS

REVISED EC NO: J2010-0339 DRWN: INAKAGAWA01 2009/09/01 CHKD: MATSUMOTO 2009/09/01 APPR: HIRATA 2009/09/01	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW ST EMBSTP PKG -LEAD FREE-			
		10 OVER 30 UNDER	± 0.25	CHECKED BY AMIZUMURA	DATE 2005/09/16				
		30 OVER	± 0.3	APPROVED BY MYAGI	DATE 2005/09/16	 MOLEX INCORPORATED			
		ANGULAR ±3 °		MATERIAL NO. SEE SHEET 3					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9

8

7

6

5

4

3

2

	10	9	8	7	6	5	4	3	2	1																																					
F											F																																				
E											E																																				
D											D																																				
C	<table><tr><td></td><td>紫 VIOLET</td><td>橙 ORANGE</td><td>茶 BROWN</td><td>緑 GREEN</td><td>色 COLOR</td></tr><tr><td></td><td>501940-0597</td><td>501940-0587</td><td>501940-0577</td><td>501940-0567</td><td>5</td></tr><tr><td></td><td>501940-0497</td><td>501940-0487</td><td>501940-0477</td><td>501940-0467</td><td>4</td></tr><tr><td></td><td>501940-0397</td><td>501940-0387</td><td>501940-0377</td><td>501940-0367</td><td>3</td></tr><tr><td></td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>極数 CIRCUITS</td></tr><tr><td colspan="6">CONNECTOR SERIES No. 501940-***9</td></tr></table>											紫 VIOLET	橙 ORANGE	茶 BROWN	緑 GREEN	色 COLOR		501940-0597	501940-0587	501940-0577	501940-0567	5		501940-0497	501940-0487	501940-0477	501940-0467	4		501940-0397	501940-0387	501940-0377	501940-0367	3		EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS	CONNECTOR SERIES No. 501940-***9						C
	紫 VIOLET	橙 ORANGE	茶 BROWN	緑 GREEN	色 COLOR																																										
	501940-0597	501940-0587	501940-0577	501940-0567	5																																										
	501940-0497	501940-0487	501940-0477	501940-0467	4																																										
	501940-0397	501940-0387	501940-0377	501940-0367	3																																										
	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS																																										
CONNECTOR SERIES No. 501940-***9																																															
B	<table><tr><td>青 BLUE</td><td>黄 YELLOW</td><td>赤 RED</td><td>黒 BLACK</td><td>自然色 NATURAL</td><td>色 COLOR</td></tr><tr><td>501940-0547</td><td>501940-0537</td><td>501940-0527</td><td></td><td>501940-0507</td><td>5</td></tr><tr><td>501940-0447</td><td>501940-0437</td><td>501940-0427</td><td>501940-0417</td><td>501940-0407</td><td>4</td></tr><tr><td>501940-0347</td><td>501940-0337</td><td>501940-0327</td><td>501940-0317</td><td>501940-0307</td><td>3</td></tr><tr><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>EMBOSSSED PACKAGE オーダー番号 ORDER NO.</td><td>極数 CIRCUITS</td></tr><tr><td colspan="6">CONNECTOR SERIES No. 501940-***9</td></tr></table>										青 BLUE	黄 YELLOW	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR	501940-0547	501940-0537	501940-0527		501940-0507	5	501940-0447	501940-0437	501940-0427	501940-0417	501940-0407	4	501940-0347	501940-0337	501940-0327	501940-0317	501940-0307	3	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS	CONNECTOR SERIES No. 501940-***9						B
青 BLUE	黄 YELLOW	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR																																										
501940-0547	501940-0537	501940-0527		501940-0507	5																																										
501940-0447	501940-0437	501940-0427	501940-0417	501940-0407	4																																										
501940-0347	501940-0337	501940-0327	501940-0317	501940-0307	3																																										
EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	EMBOSSSED PACKAGE オーダー番号 ORDER NO.	極数 CIRCUITS																																										
CONNECTOR SERIES No. 501940-***9																																															
A	<table><tr><td rowspan="6">REVISED EC NO: J2010-0339 DRAWN: TNKAGAWA01 2009/09/04 CHKD: HMATSUMOTO 2009/09/04 APPR: HHIRATA 2009/09/04</td><td rowspan="6">DESCRIPTION </td></tr></table>										REVISED EC NO: J2010-0339 DRAWN: TNKAGAWA01 2009/09/04 CHKD: HMATSUMOTO 2009/09/04 APPR: HHIRATA 2009/09/04	DESCRIPTION 																																			
REVISED EC NO: J2010-0339 DRAWN: TNKAGAWA01 2009/09/04 CHKD: HMATSUMOTO 2009/09/04 APPR: HHIRATA 2009/09/04	DESCRIPTION 																																														