

# PRODUCT SPECIFICATION



|                  |                                   |
|------------------|-----------------------------------|
| Brand            | C.K                               |
| Product Range    | Dextro VDE Slim Screwdrivers      |
| Catalogue number | 49242, 49243, 49244, 49245, 49283 |
| Date             | 02/02/2017                        |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <p><b>Range Description</b></p> <p>A range of slim shafted VDE approved professional Electricians screwdrivers</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| <p><b>Features</b></p> <ul style="list-style-type: none"> <li>• Slim shafted insulated blades - allow access to recessed screws and fixings</li> <li>• Optimised grip for fingertip control and final torque down power</li> <li>• Non-roll handle design – specifically designed to stop the screwdrivers rolling off non-flat surfaces</li> <li>• Permanent tip type marking on the end of the handle for convenient blade type identification</li> <li>• Additional blade type identification with colour coded handles</li> <li>• Toughened high alloy steel blade offering the ultimate in wear resistance and performance</li> <li>• Blade torque capacity up to 20% over the International standards requirement</li> <li>• Chrome vanadium blade with black non peel tip finish for corrosion protection</li> <li>• Precision machined tips for the ultimate screw fit and high torque output</li> </ul> |  |

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
|  <p>T49242</p>   |
|  <p>T49243</p>   |
|  <p>T49244</p>   |
|  <p>T49245</p> |
|  <p>T49283</p>  |

|             |                  |        |           |        |
|-------------|------------------|--------|-----------|--------|
| Item Number | Item Description | EAN No | Commodity | Carton |
|-------------|------------------|--------|-----------|--------|

|            |                                                                                                  |               | code     | Qty |
|------------|--------------------------------------------------------------------------------------------------|---------------|----------|-----|
| T49242-1   | DextroVDE Slim S/Driver PH1x100                                                                  | 5013969032116 | 82054000 | 6   |
| T49242-2   | DextroVDE Slim S/Driver PH2x125                                                                  | 5013969032123 | 82054000 | 6   |
| T49243-1   | DextroVDE Slim S/Driver PZ1x100                                                                  | 5013969032093 | 82054000 | 6   |
| T49243-2   | DextroVDE Slim S/Driver PZ2x125                                                                  | 5013969032109 | 82054000 | 6   |
| T49244-035 | DextroVDE Slim S/Driver SLP 3.5x100                                                              | 5013969032062 | 82054000 | 6   |
| T49244-040 | DextroVDE Slim S/Driver SLP 4.0x100                                                              | 5013969032079 | 82054000 | 6   |
| T49244-055 | DextroVDE Slim S/Driver SLP 5.5x125                                                              | 5013969032086 | 82054000 | 6   |
| T49245-2   | DextroVDE Slim S/Driver MOD2x125                                                                 | 5013969032130 | 82054000 | 6   |
| T49283     | DextroVDE Slim S/Driver SLP/PZD Set/5 contains SL3.5x100, SL4.0x100, SL5.5x125, PZ1x100, PZ2x125 | 5013969032055 | 82054000 | 18  |

| Technical product information | <p><b>Blade/Shaft</b></p> <p>Made from chrome molybdenum vanadium steel, hardened to 57-59 HRC, black non peel finish.</p> <p><b>Handle</b></p> <p>The handle core is polypropylene, injection moulded around the blade with a TPE soft grip over-mould. The handles are shatterproof down to -35° C.</p> <p><b>Dimensions</b></p> <table><tr><th>Dimensions (mm)</th><th>Handle length</th><th>Blade length</th><th>Blade Dia</th><th>Tip thickness</th></tr><tr><td>T49242-1</td><td>95</td><td>100</td><td>5.5</td><td>-</td></tr><tr><td>T49242-2</td><td>107</td><td>125</td><td>6.5</td><td>-</td></tr><tr><td>T49243-1</td><td>95</td><td>100</td><td>4.5</td><td>-</td></tr><tr><td>T49243-2</td><td>107</td><td>125</td><td>6.5</td><td>-</td></tr><tr><td>T49244-035</td><td>95</td><td>100</td><td>3.5</td><td>0.6</td></tr><tr><td>T49244-040</td><td>95</td><td>100</td><td>4</td><td>0.8</td></tr><tr><td>T49244-055</td><td>107</td><td>125</td><td>5.5</td><td>1.0</td></tr><tr><td>T49245-2</td><td>107</td><td>125</td><td></td><td>-</td></tr></table> | Dimensions (mm) | Handle length | Blade length  | Blade Dia | Tip thickness | T49242-1 | 95 | 100 | 5.5 | - | T49242-2 | 107 | 125 | 6.5 | - | T49243-1 | 95 | 100 | 4.5 | - | T49243-2 | 107 | 125 | 6.5 | - | T49244-035 | 95 | 100 | 3.5 | 0.6 | T49244-040 | 95 | 100 | 4 | 0.8 | T49244-055 | 107 | 125 | 5.5 | 1.0 | T49245-2 | 107 | 125 |  | - |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------------|-----------|---------------|----------|----|-----|-----|---|----------|-----|-----|-----|---|----------|----|-----|-----|---|----------|-----|-----|-----|---|------------|----|-----|-----|-----|------------|----|-----|---|-----|------------|-----|-----|-----|-----|----------|-----|-----|--|---|
| Dimensions (mm)               | Handle length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Blade length    | Blade Dia     | Tip thickness |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49242-1                      | 95                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 100             | 5.5           | -             |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49242-2                      | 107                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 125             | 6.5           | -             |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49243-1                      | 95                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 100             | 4.5           | -             |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49243-2                      | 107                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 125             | 6.5           | -             |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49244-035                    | 95                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 100             | 3.5           | 0.6           |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49244-040                    | 95                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 100             | 4             | 0.8           |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49244-055                    | 107                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 125             | 5.5           | 1.0           |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| T49245-2                      | 107                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 125             |               | -             |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| Standards compliance          | <p><b>Electrical safety</b></p> <p>Fully approved and independently audited by the German VDE institute to VDE 0682/201:2005 01<br/>IEC 60900:2012</p> <p><b>Dimensional and performance</b></p> <p>Slotted screwdrivers – DIN ISO 2380<br/>PZD/SDV/PH Screwdrivers – DIN ISO 8764</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |               |               |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |
| User health and safety        | Users and bystanders are advised to wear safety goggles                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                 |               |               |           |               |          |    |     |     |   |          |     |     |     |   |          |    |     |     |   |          |     |     |     |   |            |    |     |     |     |            |    |     |   |     |            |     |     |     |     |          |     |     |  |   |

|                      |                                                                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| information          |                                                                                                                                                                          |
| RoHS/WEEE compliance | This product range does not fall within the scope of RoHS or WEEE regulations                                                                                            |
| Material safety data | None applicable                                                                                                                                                          |
| Warranty             | Dextro Screwdrivers are guaranteed for life against imperfect materials or workmanship<br>Normal wear and tear or damage caused through inappropriate use is not covered |
| Country of origin    | Germany                                                                                                                                                                  |

## Dimensional details

|            | Product only |          |           |              | Product on primary packaging |          |           |                |
|------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
| Item       | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| T49242-1   | 30           | 25       | 195       | 46           | 30                           | 25       | 195       | 46             |
| T49242-2   | 35           | 30       | 232       | 74           | 35                           | 30       | 232       | 74             |
| T49243-1   | 30           | 25       | 195       | 46           | 30                           | 25       | 195       | 46             |
| T49243-2   | 35           | 30       | 232       | 80           | 35                           | 30       | 232       | 80             |
| T49244-035 | 30           | 25       | 195       | 39           | 30                           | 25       | 195       | 39             |
| T49244-040 | 30           | 25       | 195       | 43           | 30                           | 25       | 195       | 43             |
| T49244-050 | 35           | 30       | 232       | 74           | 35                           | 30       | 232       | 74             |
| T49245-2   | 35           | 30       | 232       | 80           | 35                           | 30       | 232       | 80             |
| T49283     | 225          | 43       | 300       | 635          | 225                          | 43       | 300       | 635            |

|            | Shelf box (secondary packaging) |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
| Item       | Width mm                        | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| T49242-1   | 85                              | 50       | 225       | 330            |                             |                     |
| T49242-2   | 95                              | 60       | 265       | 514            |                             |                     |
| T49243-1   | 85                              | 50       | 225       | 330            |                             |                     |
| T49243-2   | 95                              | 60       | 265       | 550            |                             |                     |
| T49244-035 | 85                              | 50       | 225       | 288            |                             |                     |
| T49244-040 | 85                              | 50       | 225       | 312            |                             |                     |
| T49244-050 | 95                              | 60       | 265       | 514            |                             |                     |
| T49245-2   | 95                              | 60       | 265       | 550            |                             |                     |
| T49283     | 420                             | 255      | 610       |                |                             |                     |

## Packaging waste details

|            | Primary Packaging |     |        |     | Secondary packaging |     |        |     |
|------------|-------------------|-----|--------|-----|---------------------|-----|--------|-----|
| Item       | Plastic g         | Use | Card g | Use | Plastic g           | Use | Card g | Use |
| T49242-1   |                   |     |        |     |                     |     | 54     | Box |
| T49242-2   |                   |     |        |     |                     |     | 70     | Box |
| T49243-1   |                   |     |        |     |                     |     | 54     | Box |
| T49243-2   |                   |     |        |     |                     |     | 70     | Box |
| T49244-035 |                   |     |        |     |                     |     | 54     | Box |

|            |  |  |  |  |  |  |    |     |
|------------|--|--|--|--|--|--|----|-----|
| T49244-040 |  |  |  |  |  |  | 54 | Box |
| T49244-050 |  |  |  |  |  |  | 70 | Box |
| T49245-2   |  |  |  |  |  |  | 70 | Box |
| T49283     |  |  |  |  |  |  |    | Box |