

**Product Description :** MXP120 Sealed Receptacle, 3 Circuit, Black Housing (T3-V2-Part Number: 349003127

S3), Key D, Stone Gray Insert

Status: Active

Series Number: 34900

**Product Category:** Connector Housings

#### **Documents & Resources**

#### **Drawings**

Drawing 349003127\_sd.pdf

Packaging Design Drawing PK-31301-898-000.pdf Packaging Design Drawing PK-31301-898-001.pdf Packaging Design Drawing PK-31301-898-001.pdf

#### **Specifications**

Application Specification AS-34900-0001-001.pdf Application Specification AS-34900-0001-CH-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant
China RoHS	•
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

# **Part Details**

## General

Status	Active
Category	Connector Housings
Series	34900
Description	MXP120 Sealed Receptacle, 3 Circuit, Black Housing (T3-V2-S3), Key D, Stone Gray Insert
Application	Automotive, Power Train, Sealed, Wire-to-Wire
Comments	See sales drawing for terminal information.
Product Family	MXP120 Sealed Connector System
Product Name	MXP120 Sealed
UPC	889056628952

# Physical

Circuits (maximum)	3
Color - Resin	Black
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	SPS/Nylon
Net Weight	3.020/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	4.00mm
Pitch - Termination Interface	4.00mm
Polarization	D
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +125°C

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
MXP120 Sealed Male Blade Connectors	<u>34899</u>

## Use with Part(s)

Description	Part Number
MXP120 Backshell, Exit Direction Straight, Flange Size NW 4.5, 3 Circuits	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/1600913010.html
MXP120 Backshell, Exit Direction Right, Flange Size NW 4.5, 3 Circuits	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/1600913110.html
MXP120 Backshell, Exit Direction Left, Flange Size NW 4.5, 3 Circuits	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/1600913210.html
MXP120 Cavity Plug, Natural	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/349961501.html
MXP120 Cavity Plug Seal, Silicone, Rust Red	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/349961902.html
Use With	1.2 LL SWS from Tyco and Kostal

# **Application Tooling**

### Global

Description	Part Number
Extraction Toolkit for MXP120 Sealed Connection System	638246300

This document was generated on Sep 17, 2024