




Connectors > D-Shaped Connectors > D-Sub Connectors > PCB D-Sub Connectors > D-Sub Plug Assembly: Vertical, Shell Size 4, 2.74mm



Connector & Housing Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **37**

Centerline (Pitch): **2.77 mm [.109 in]**

Number of Rows: **2**

[All D-Sub Plug Assembly: Vertical, Shell Size 4, 2.74mm \(24\)](#)

Features

Product Type Features

Connector & Housing Type	Plug
Connector System	Wire-to-Board
Connector Shell Size	4
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	37
Number of Rows	2
PCB Mount Orientation	Vertical

Body Features

Primary Product Color	Black
Connector Profile	High

Contact Features

Contact Options	Installed
-----------------	-----------



Contact Shape & Form	Round
Contact Current Rating (Max)	1.5 A

Termination Features

Termination Post & Tail Diameter	.6 mm[.023 in]
Termination Method to PCB	Through Hole - Solder

Mechanical Attachment

PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Mating Retention	With
Mating Retention Type	4-40 Screwlock
Connector Mounting Type	Board Mount

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	2.77 mm[.109 in]

Dimensions

Row-to-Row Spacing	2.84 mm[.111 in]
--------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-025-DRAVS4277
D-Sub Receptacle Assembly: Vertical,
Shell Size 4, 2.77mm

Customers Also Bought

TE Part #5-166053-1
COSI PIN CONTACT HD20 DF; 24-20
AWG

TE Part #745230-2
20DF SOCKET CONTACT,PLATED

TE Part #2301835-1
AMPL PLUG HD20, VERT, 25P, B/L,4-
40 INS

TE Part #6-1618386-9
PS12-1Y = SOLID STATE RELAY, 10A
/250VAC

TE Part #1-215297-6
16P HV100 REC CON. TE, 7.0MM

TE Part #969973-2
2x2P HV100 REC. CON, SMD, GOLD,
BLISTER

TE Part #2176398-4
3502 18K 1%

TE Part #2-2176347-6
CRGCQ 2010 1K2 1%



Documents

Product Drawings

AMPL PLUG HD20, VERT, 37P, B/L,4-40 S/LO

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2301836-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2301836-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2301836-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English